

B.C. HIV/AIDS Drug Treatment Program

Monthly Report

June 2018





© 2018 BC Centre for Excellence in HIV/AIDS

DISCLAIMER: This document is published by the British Columbia Centre for Excellence in HIV/AIDS (BC-CfE) as an overview of the activities of the BC-CfE's Drug Treatment Program. All information is generated from a live database maintained by the BC-CfE that houses data for clinical and virological outcome studies of patients receiving antiretroviral therapy.

This database is updated on a regular basis. Figures and tables provided in this Monthly Report represent the best estimates available at the time this document was generated.

Please be advised that information provided in this document is provided in good faith and is derived from sources believed to be accurate and up-to-date at the report's date of publication. The BC Centre for Excellence in HIV/AIDS nevertheless reserves the right to update this information at any time.

Information provided here at this time, is being provided freely, and no kind of agreement or contract is created between you and the authors. The authors cannot be responsible for any violations should you reproduce or republish the information contained herein.

Please note that the figures and graphs in this document are best viewed in colour.

BC Centre for Excellence in HIV/AIDS Drug Treatment Program

St. Paul's Hospital 608 - 1081 Burrard Street Vancouver, BC V6Z 1Y6

Tel: 604.806.8202 Fax: 604.806.9044

Physician Drug Hotline: 1.800.665.7677

St. Paul's Hospital Pharmacy Hotline: 1.888.511.6222

Website: www.cfenet.ubc.ca Email: info@cfenet.ubc.ca

Funding for the BC Centre for Excellence in HIV/AIDS is provided through Pharmacare and the Provincial Health Services Authority (PHSA)







EXECUTIVE SUMMARY

A key component of the BC Centre for Excellence in HIV/AIDS' (BC-CfE) mandate is to monitor the impact of HIV/AIDS in British Columbia. The BC-CfE provides essential information to local health authorities, treating physicians, and the community at large on an ongoing basis. The HIV/AIDS Drug Treatment Program (DTP) Update is one example of the BC-CfE's commitment to HIV-infected persons throughout the Province of British Columbia.

The DTP distributes anti-HIV drugs at no cost to eligible British Columbians. The DTP Update provides an important overview of available anti-HIV drugs, common drug combinations and distribution of active DTP participants throughout the province.

DTP participants are typically followed at three-monthly intervals at which time routine blood sampling is performed. Information from all recipients is entered into a database, providing data for clinical and virological outcome studies of patients receiving antiretroviral therapy. These studies form the basis of ongoing revisions to the BC-CfE's treatment guidelines.







TABLE OF CONTENTS

1. List of Figures

- 1.1 Distribution of men and women on antiretroviral therapy in British Columbia by Health Authority
- 1.2 Distribution of Participants in HIV/AIDS Drug Treatment Program by Regimen Class
- 1.3 Percent Distribution of Participants in HIV/AIDS Drug Treatment Program by Regimen Class
- 1.4 BC-CfE Enrolment: Net Number of New Antiretroviral Participants
- 1.5 BC-CfE Enrolment: New Antiretroviral Participants
- 1.6 Percent Distribution of Active Participants by CD4 Count
- 1.7 Percent Distribution of Inactive Participants by CD4 Count
- 1.8 Active and Inactive Participants
- 1.9 Percent Distribution of Participants on ARV Therapy by Number of Drugs
- 1.10 Distribution of Participants on Nucleoside/Nucleotide Analogues by Ingredient
- 1.11 Distribution of Participants on Nucleoside/Nucleotide Analogues at the time of first start of ARV Therapy by Ingredient
- 1.12 Distribution of Participants on Protease Inhibitor by Ingredient
- 1.13 Distribution of Participants on Protease Inhibitor at the time of first start of ARV Therapy by Ingredient
- 1.14 Distribution of Participants on Non-Nucleosides by Ingredient
- 1.15 Distribution of Participants on Non-Nucleosides at the time of first start of ARV Therapy by Ingredient
- 1.16 Distribution of Participants on Entry/Integrase Inhibitors by Ingredient
- 1.17 Distribution of Participants on Entry/Integrase Inhibitors at the time of first start of ARV Therapy by Ingredient
- 1.18 Baseline CD4 for Antiretroviral First Starts
- 1.19 DTP Participants with PVL Measurement within previous five years, and never on ART
- 1.20 Cumulative Resistance Testing Results by Resistance Category
- 1.21 Percent of Participants ever on ARV Resistance Testing Results by Resistance Category

2. List of Tables

- 2.1 Duration of ARV treatment in the Province of BC, 1987-2012 (for HIV+ persons currently on treatment)
- 2.2 Median Viral Load and CD4 for Active patients in Drug Treatment Program
- 2.3 Median Viral Load and CD4 for Inactive patients in Drug Treatment Program
- 2.4 BC-CfE Enrolment
- 2.5 Percent Distribution of Participants on ARV Therapy by Number of Drugs
- 2.6 Number of Participants on Nucleoside/Nucleotide Analogues by Ingredient
- 2.7 Number of Participants on Protease Inhibitor by Ingredient
- 2.8 Number of Participants on Non-Nucleosides by Ingredient
- 2.9 Number of Participants on Entry/Integrase Inhibitors by Ingredient
- 2.10 Distribution of Participants in HIV/AIDS Drug Treatment Program by Regimen Class
- 2.11 Baseline CD4 for Antiretroviral First Starts
- 2.12 DTP Participants with PVL Measurement within previous five years, and never on ART







Table of Contents, cont'd...

3. Health Authority Maps

- 3.1 Distribution of HIV/AIDS Drug Treatment Program Active Participants
- 3.2 Interior Health Authority & Kelowna
- 3.3 Fraser Health Authority & Surrey
- 3.4 Vancouver Coastal Health Authority & Vancouver
- 3.5 Vancouver Island Health Authority & Victoria
- 3.6 Northern Health Authority & Prince George

4. Health Authority Tables

INTERIOR HEALTH

- 4.1 Distribution of Participants in BC-CfE Registries by Age and Gender
- 4.2 Distribution of Participants in BC-CfE Registries by Treatment Duration
- 4.3 Distribution of ARV Prescribing Physicians in BC-CfE Registries

FRASER HEALTH

- 4.4 Distribution of Participants in BC-CfE Registries by Age and Gender
- 4.5 Distribution of Participants in BC-CfE Registries by Treatment Duration
- 4.6 Distribution of ARV Prescribing Physicians in BC-CfE Registries

VANCOUVER COASTAL

- 4.7 Distribution of Participants in BC-CfE Registries by Age and Gender
- 4.8 Distribution of Participants in BC-CfE Registries by Treatment Duration
- 4.9 Distribution of ARV Prescribing Physicians in BC-CfE Registries

VANCOUVER ISLAND

- 4.10 Distribution of Participants in BC-CfE Registries by Age and Gender
- 4.11 Distribution of Participants in BC-CfE Registries by Treatment Duration
- 4.12 Distribution of ARV Prescribing Physicians in BC-CfE Registries

NORTHERN HEALTH

- 4.13 Distribution of Participants in BC-CfE Registries by Age and Gender
- 4.14 Distribution of Participants in BC-CfE Registries by Treatment Duration
- 4.15 Distribution of ARV Prescribing Physicians in BC-CfE Registries

ABORIGINAL

4.16 Distribution of Aboriginal Participants in BC-CfE Registries by Health Service Delivery Area and Gender

5. Appendix

5.1 Drug Names and Definitions








1.1 Distribution of men and women on antiretroviral therapy in British Columbia by Health Authority

June 2018

N = 7295



Health Authority	Male	Female	All	
FRASER	1395	411	1806	
INTERIOR	394	98	492	
NORTHERN	129	76	205	
VANCOUVER COASTAL	3409	459	3868	
VANCOUVER ISLAND	737	153	890	
	6064	1197	7261	
		Unknown/not stated:	34	
		Total:	7295	

Definitions:


On antiretroviral therapy defined as being on treatment in the current month
Unknown/not stated defined as being on treatment in the current month, and city of residence unknown







1.2 Distribution of Participants in HIV/AIDS Drug Treatment Program by Regimen Class (June 2013 - June 2018)










1.3 Percent Distribution of Participants in HIV/AIDS Drug Treatment Program by Regimen Class (June 2013 - June 2018)










1.4 BC-CfE Enrollment: Net Number of New Antiretroviral Participants (June 2013 - June 2018)










1.5 BC-CfE Enrollment: New Antiretroviral Participants (June 2013 - June 2018)










1.6 Percent Distribution of Active Participants by CD4 Count (June 2013 - June 2018)










1.7 Percent Distribution of Inactive Participants by CD4 Count (June 2013 - June 2018)










1.8 Active and Inactive Participants (June 2013 - June 2018)










1.9 Percent Distribution of Participants on ARV Therapy by Number of Drugs (June 2013 - June 2018)










1.10 Distribution of Participants on Nucleoside/Nucleotide Analogues by INGREDIENT (June 2013 - June 2018)










1.11 Distribution of Participants on Nucleoside/Nucleotide Analogues at the time of first start of ARV Therapy by INGREDIENT

(June 2013 - June 2018)










1.12 Distribution of Participants on Protease Inhibitor by INGREDIENT (June 2013 - June 2018)










1.13 Distribution of Participants on Protease Inhibitor at the time of first start of ARV Therapy by INGREDIENT

(June 2013 - June 2018)




Date







1.14 Distribution of Participants on Non-Nucleosides by INGREDIENT (June 2013 - June 2018)










1.15 Distribution of Participants on Non-Nucleosides at the time of first start of ARV Therapy by INGREDIENT

(June 2013 - June 2018)










1.16 Distribution of Participants on Entry/Integrase Inhibitors by INGREDIENT (June 2013 - June 2018)










1.17 Distribution of Participants on Entry/Integrase Inhibitors at the time of first start of ARV Therapy by INGREDIENT

(June 2013 - June 2018)










1.18 Baseline CD4 for Antiretroviral First Starts (June 2013 - June 2018)










1.19 DTP Participants with PVL Measurement within previous five years, and never on ART (June 2013 - June 2018)










1.20 Cumulative Resistance Testing Results by Resistance Category (June 2013 - June 2018)










1.21 Percent of Participants ever on ARV - Resistance Testing Results by Resistance Category (June 2013 - June 2018)









2.1 Duration of ARV treatment in the Province of BC, 1987-2018 (for HIV+ persons currently on treatment)

Start Year	Duration (years) Median	Male	Female	All	Curi (n)	rent CD4 Median		ent PVL Median	Current ARV Median
1987	26	4	0	4	4	880	4	<40	4
1988	27	7	0	7	7	590	7	<40	3
1989	25	55	2	57	47	490	53	<40	3
1990	24	61	1	62	60	495	62	<40	3
1991	24	38	3	41	32	480	41	<40	3
1992	24	67	6	73	57	570	71	<40	3
1993	23	140	15	155	142	580	153	<40	3
1994	22	84	12	96	80	575	93	<40	3
1995	21	129	20	149	128	585	145	<40	3
1996	19	358	56	414	357	610	400	<40	3
1997	18	293	36	329	299	620	320	<40	3
1998	17	205	46	251	215	560	236	<40	3
1999	17	166	41	207	186	550	202	<40	3
2000	17	125	36	161	139	570	153	<40	3
2001	17	125	36	161	133	560	153	<40	3
2002	15	130	28	158	133	560	151	<40	3
2003	15	166	31	197	168	585	190	<40	3
2004	14	168	40	208	172	621	198	<40	3
2005	13	191	46	237	208	607	230	<40	3
2006	12	194	44	238	194	570	221	<40	3
2007	11	268	52	320	274	600	301	<40	3
2008	10	299	69	368	323	640	353	<40	3
2009	9	325	74	399	340	640	376	<40	3
2010	8	287	73	360	309	620	338	<40	3
2011	7	339	74	413	351	670	381	<40	3
2012	6	291	63	354	308	690	336	<40	3
2013	5	276	65	341	291	680	328	<40	3
2014	4	298	55	353	290	710	331	<40	3
2015	3	301	51	352	304	655	337	<40	3
2016	2	294	61	355	311	660	336	<40	3
2017	1	250	40	290	259	629	282	<40	3
2018	0	126	24	150	138	555	148	<40	3
Γotal:	<u> </u>	6060	1200	7260					

Definitions:

On treatment defined as being on ARV therapy in the specified month and not reported deceased **Duration** defined as cumulative years on ARV therapy, excluding periods of treatment interruption **Current CD4 and PVL tests** defined as tests done in the last 6 months (most recent) **Current ARV** defined as number of ARV drugs in the current regimen







2.2 Median Viral Load and CD4 for Active patients in Drug Treatment Program

MON-YYYY	# of patients	Median # of therapy days	# of patients with PVL test	Median PVL	# of patients with CD4 test	Median CD4
JAN-2017	7182	747	2326	<40	2077	590
FEB-2017	7134	754	1914	<40	1739	590
MAR-2017	7186	744	2204	<40	2018	600
APR-2017	7178	746	1966	<40	1770	590
MAY-2017	7224	744	2276	<40	2057	590
JUN-2017	7245	752	2120	<40	1953	596
JUL-2017	7241	753	1965	<40	1788	580
AUG-2017	7266	757	2106	<40	1884	590
SEP-2017	7222	762	2042	<40	1837	610
OCT-2017	7244	770	2187	<40	1938	610
NOV-2017	7241	766	2074	<40	1873	610
DEC-2017	7227	775	1740	<40	1536	610
JAN-2018	7292	756	2385	<40	2102	610
FEB-2018	7256	765	1904	<40	1737	610
MAR-2018	7281	774	2050	<40	1819	618
APR-2018	7266	781	2082	<40	1820	620
MAY-2018	7288	781	2149	<40	1894	600
JUN-2018	7295	795	2010	<40	1752	620

Definitions:

Active patient defined as being on ARV treatment in the specified month

Therapy days defined as number of consecutive days on ARV treatment (most recent uninterrupted period)

PVL and CD4 tests defined as tests done in the specified month







2.3 Median Viral Load and CD4 for Inactive patients in Drug Treatment Program

MON-YYYY	# of patients	Median # days of off therapy	# of patients with PVL test	Median PVL	# of patients with CD4 test	Median CD4
JAN-2017	1403	3151	88	140	80	417
FEB-2017	1456	2851	80	1874	70	400
MAR-2017	1409	3132	99	635	89	380
APR-2017	1424	3090	94	545	85	420
MAY-2017	1396	3277	85	180	75	420
JUN-2017	1386	3361	76	197	68	485
JUL-2017	1407	3248	68	376	61	520
AUG-2017	1400	3313	78	160	68	495
SEP-2017	1457	3056	74	323	66	415
OCT-2017	1431	3208	91	218	80	470
NOV-2017	1450	3126	79	144	68	360
DEC-2017	1481	3037	60	53	50	382
JAN-2018	1434	3277	78	872	70	365
FEB-2018	1479	3096	81	264	67	450
MAR-2018	1463	3167	75	59	68	495
APR-2018	1482	3125	72	634	60	500
MAY-2018	1465	3207	91	<40	81	460
JUN-2018	1471	3233	66	4750	62	440

Definitions:

Inactive patient defined as not deceased, not being on ARV treatment in the specified month (but previously treated with ARVs)Days off therapy defined as number of days elapsed since last ARV treatmentPVL and CD4 tests defined as tests done in the specified month







2.4 BC-CfE Enrollment

MON-YYYY	Currently on ARV Therapy	Currently off ARV Therapy	Deceased	First Starts	Experienced Starts	New Inactive	Net Change	Cumulative Patients
JAN-2017	7140	1403	21	21	141	142	-6	12876
FEB-2017	7102	1456	10	24	136	182	-38	12910
MAR-2017	7147	1409	17	19	189	139	45	12936
APR-2017	7139	1424	12	20	143	151	-8	12968
MAY-2017	7194	1396	7	22	170	126	55	13002
JUN-2017	7210	1386	10	24	151	138	16	13032
JUL-2017	7202	1407	7	14	134	143	-8	13051
AUG-2017	7229	1400	10	25	156	137	27	13081
SEP-2017	7185	1457	12	16	137	180	-44	13110
OCT-2017	7212	1431	7	6	184	151	27	13123
NOV-2017	7206	1450	16	19	142	148	-6	13158
DEC-2017	7197	1481	5	18	157	175	-9	13189
JAN-2018	7252	1434	13	12	192	128	55	13218
FEB-2018	7220	1479	11	27	123	168	-32	13255
MAR-2018	7241	1463	17	22	153	133	21	13283
APR-2018	7231	1482	13	14	152	159	-10	13304
MAY-2018	7259	1465	9	12	171	144	28	13329
JUN-2018	7260	1471	13	16	149	149	1	13351

Definitions:

Currently on ARV Therapy defined as being on ARV treatment in the specified month, and not deceased/moved out of BC

Currently off ARV Therapy defined as not being on ARV treatment in the specified month, not deceased/moved out of BC, but on ARVs in the past

Deceased defined as deceased in the specified month, and being on ARV treatment in the previous month

First Starts defined as starting ARV treatment in the specified month for the first time (ARV naive)

Experienced Starts defined as starting ARV treatment in the specified month, but previously being treated with ARVs

New Inactive defined as not being on ARV treatment in the specified month, not deceased/moved out of BC, but on ARV treatment in the previous month **Net Change** is defined as difference between ARV starts (First and Experienced) and ARV stops (Deceased/Moved out of BC and New Inactive)







2.5 Percent Distribution of Participants on ARV Therapy by Number of Drugs

MON-YYYY	Less than 3 Drugs	3 Drugs	4 Drugs	5 or more Drugs	All ARV	Less than 3 Drugs%	3 Drugs%	4 Drugs%	5 or more Drugs%	Total%
JAN-2017	61	6615	443	63	7182	0.85%	92.11%	6.17%	0.88%	100.00%
FEB-2017	60	6579	440	55	7134	0.84%	92.22%	6.17%	0.77%	100.00%
MAR-2017	60	6629	439	58	7186	0.83%	92.25%	6.11%	0.81%	100.00%
APR-2017	58	6633	428	59	7178	0.81%	92.41%	5.96%	0.82%	100.00%
MAY-2017	62	6665	438	59	7224	0.86%	92.26%	6.06%	0.82%	100.00%
JUN-2017	57	6691	438	59	7245	0.79%	92.35%	6.05%	0.81%	100.00%
JUL-2017	61	6685	433	62	7241	0.84%	92.32%	5.98%	0.86%	100.00%
AUG-2017	61	6696	448	61	7266	0.84%	92.16%	6.17%	0.84%	100.00%
SEP-2017	57	6677	431	57	7222	0.79%	92.45%	5.97%	0.79%	100.00%
OCT-2017	58	6691	438	57	7244	0.80%	92.37%	6.05%	0.79%	100.00%
NOV-2017	59	6681	445	56	7241	0.81%	92.27%	6.15%	0.77%	100.00%
DEC-2017	58	6666	447	56	7227	0.80%	92.24%	6.19%	0.77%	100.00%
JAN-2018	58	6728	451	55	7292	0.80%	92.27%	6.18%	0.75%	100.00%
FEB-2018	61	6685	451	59	7256	0.84%	92.13%	6.22%	0.81%	100.00%
MAR-2018	62	6710	453	56	7281	0.85%	92.16%	6.22%	0.77%	100.00%
APR-2018	58	6701	449	58	7266	0.80%	92.22%	6.18%	0.80%	100.00%
MAY-2018	62	6712	456	58	7288	0.85%	92.10%	6.26%	0.80%	100.00%
JUN-2018	60	6728	449	58	7295	0.82%	92.23%	6.15%	0.80%	100.00%

Definitions:

Number of Drugs is calculated as number of individual drugs in ARV Therapy (excluding low dose ritonavir used for boosting a protease inhibitor)







2.6 Number of Participants on Nucleoside/Nucleotide Analogues by INGREDIENT

	lamiv	rudine		aba	cavir	zidovudine			stavu	dine		didanosine				tenofovir <taf></taf>				tenofovir <tdf></tdf>			·>		
	Initial	All	Initia	ıl	All	Initi	al	All		Initia	al	All		Initi	al	All		Initi	ial	All		Init	tial	All	
JAN-2017	13 41%	3068 44%	13 4	11%	2772 40%	0	0%	75	1%	0	0%	5	0%	0	0%	6	0%	0	0%	46	1%	19	59%	4051	58%
FEB-2017	12 35%	3074 44%	10 2	29%	2783 40%	1	3%	71	1%	0	0%	5	0%	0	0%	6	0%	0	0%	50	1%	22	65%	3982	58%
MAR-2017	7 27%	3105 45%	7 2	27%	2824 41%	0	0%	69	1%	0	0%	6	0%	0	0%	5	0%	0	0%	78	1%	19	73%	4000	57%
APR-2017	13 41%	3114 45%	12 3	38%	2834 41%	1	3%	68	1%	0	0%	6	0%	0	0%	6	0%	0	0%	96	1%	19	59%	3962	57%
MAY-2017	9 26%	3159 45%	9 2	26%	2881 41%	0	0%	73	1%	0	0%	6	0%	0	0%	5	0%	1	3%	119	2%	24	71%	3930	56%
JUN-2017	6 20%	3169 45%	6 2	20%	2902 41%	0	0%	71	1%	0	0%	6	0%	0	0%	5	0%	2	7%	143	2%	22	73%	3898	55%
JUL-2017	7 37%	3198 46%	7 3	37%	2928 42%	0	0%	72	1%	0	0%	6	0%	0	0%	5	0%	0	0%	161	2%	12	63%	3861	55%
AUG-2017	6 20%	3224 46%	4 1	13%	2958 42%	0	0%	69	1%	0	0%	6	0%	0	0%	5	0%	2	7%	171	2%	23	77%	3838	54%
SEP-2017	10 34%	3213 46%	10 3	34%	2950 42%	0	0%	66	1%	0	0%	5	0%	0	0%	4	0%	3	10%	207	3%	16	55%	3775	54%
OCT-2017	5 38%	3241 46%	5 3	38%	2983 42%	0	0%	65	1%	0	0%	4	0%	0	0%	4	0%	2	15%	245	3%	6	46%	3715	53%
NOV-2017	9 26%	3281 47%	8 2	23%	3025 43%	0	0%	65	1%	0	0%	5	0%	0	0%	4	0%	1	3%	265	4%	25	71%	3661	52%
DEC-2017	10 32%	3286 47%	10 3	32%	3032 43%	0	0%	64	1%	0	0%	5	0%	0	0%	4	0%	1	3%	272	4%	22	71%	3612	52%
JAN-2018	10 36%	3319 47%	9 3	32%	3075 43%	1	4%	61	1%	0	0%	5	0%	0	0%	4	0%	2	7%	292	4%	16	57%	3635	51%
FEB-2018	13 35%	3320 47%	12 3	32%	3078 44%	0	0%	61	1%	0	0%	5	0%	0	0%	4	0%	0	0%	299	4%	25	68%	3587	51%
MAR-2018	10 36%	3341 47%	10 3	36%	3105 44%	0	0%	60	1%	0	0%	4	0%	0	0%	4	0%	0	0%	311	4%	18	64%	3569	50%
APR-2018	5 24%	3348 47%	5 2	24%	3116 44%	0	0%	56	1%	0	0%	3	0%	0	0%	4	0%	2	10%	333	5%	14	67%	3541	50%
MAY-2018	9 39%	3355 47%	8 3	35%	3129 44%	1	4%	57	1%	0	0%	5	0%	0	0%	4	0%	1	4%	351	5%	13	57%	3518	50%
JUN-2018	6 30%	3373 48%	6 3	30%	3149 44%	0	0%	54	1%	0	0%	5	0%	0	0%	3	0%	1	5%	380	5%	13	65%	3488	49%

Definitions:

Initial is defined as number of patients whose first ARV treatment with the BC-CfE DTP contains INGREDIENT; % is calculated as ratio of "Initial" and number of patients whose first treatment is of given CLASS

All is defined as number of patients on ARV treatment which contains INGREDIENT;
% is calculated as ratio of "All" and number of patients whose treatment is of given CLASS







2.6 Number of Participants on Nucleoside/Nucleotide Analogues by INGREDIENT (continued)

		emtric	itabine					
	Init	tial	All					
JAN-2017	19	59%	3828	55%				
FEB-2017	22	65%	3771	55%				
MAR-2017	19	73%	3803	55%				
APR-2017	19	59%	3791	55%				
MAY-2017	25	74%	3795	54%				
JUN-2017	24	80%	3797	54%				
JUL-2017	12	63%	3770	54%				
AUG-2017	24	80%	3767	53%				
SEP-2017	19	66%	3740	53%				
OCT-2017	7	54%	3731	53%				
NOV-2017	26	74%	3693	53%				
DEC-2017	21	68%	3665	52%				
JAN-2018	18	64%	3711	52%				
FEB-2018	24	65%	3681	52%				
MAR-2018	18	64%	3675	52%				
APR-2018	16	76%	3663	52%				
MAY-2018	14	61%	3664	52%				
JUN-2018	14	70%	3665	52%				

Definitions:

Initial is defined as number of patients whose first ARV treatment with the BC-CfE DTP contains INGREDIENT; % is calculated as ratio of "Initial" and number of patients whose first treatment is of given CLASS All is defined as number of patients on ARV treatment which contains INGREDIENT; % is calculated as ratio of "All" and number of patients whose treatment is of given CLASS







2.7 Number of Participants on Protease Inhibitor by INGREDIENT

	(fc	s)ampr	enavi	r		ataza	navir	darı	ınavir		lopir	avir			nelfin	avir			riton	avir			saqui	navir	
	Initi	al	All		Init	ial	All	Initial	All	Ini	tial	All		Initi	al	All		Initi	al	All		Initi	al	All	
JAN-2017	0	0%	9	0%	2	14%	1558 50%	12 86%	1313 42%	0	0%	247	8%	0	0%	3	0%	0	0%	1	0%	0	0%	12	0%
FEB-2017	0	0%	9	0%	3	19%	1518 49%	12 75%	1307 43%	1	6%	236	8%	0	0%	3	0%	0	0%	1	0%	0	0%	12	0%
MAR-2017	0	0%	8	0%	1	8%	1513 49%	11 92%	1329 43%	0	0%	232	8%	0	0%	2	0%	0	0%	1	0%	0	0%	12	0%
APR-2017	0	0%	8	0%	0	0%	1484 49%	5 71%	1318 43%	2	29%	231	8%	0	0%	2	0%	0	0%	1	0%	0	0%	11	0%
MAY-2017	0	0%	9	0%	0	0%	1462 48%	14 100%	1350 44%	0	0%	227	7%	0	0%	3	0%	0	0%	1	0%	0	0%	11	0%
JUN-2017	0	0%	9	0%	2	18%	1453 48%	9 82%	1359 45%	0	0%	221	7%	0	0%	3	0%	0	0%	1	0%	0	0%	11	0%
JUL-2017	0	0%	9	0%	0	0%	1439 47%	6 100%	1359 45%	0	0%	218	7%	0	0%	3	0%	0	0%	1	0%	0	0%	11	0%
AUG-2017	0	0%	9	0%	1	5%	1417 47%	21 95%	1396 46%	0	0%	216	7%	0	0%	2	0%	0	0%	1	0%	0	0%	11	0%
SEP-2017	0	0%	9	0%	0	0%	1388 46%	8 100%	1389 46%	0	0%	210	7%	0	0%	2	0%	0	0%	1	0%	0	0%	11	0%
OCT-2017	0	0%	8	0%	0	0%	1364 46%	6 100%	1396 47%	0	0%	207	7%	0	0%	3	0%	0	0%	1	0%	0	0%	11	0%
NOV-2017	0	0%	8	0%	1	8%	1324 45%	10 83%	1392 48%	1	8%	206	7%	0	0%	3	0%	0	0%	1	0%	0	0%	10	0%
DEC-2017	0	0%	7	0%	1	7%	1295 45%	14 93%	1397 48%	0	0%	197	7%	0	0%	2	0%	0	0%	1	0%	0	0%	10	0%
JAN-2018	0	0%	8	0%	3	30%	1318 45%	7 70%	1418 48%	0	0%	195	7%	0	0%	1	0%	0	0%	1	0%	0	0%	10	0%
FEB-2018	0	0%	6	0%	0	0%	1259 44%	15 100%	1422 49%	0	0%	189	7%	0	0%	2	0%	0	0%	1	0%	0	0%	11	0%
MAR-2018	0	0%	7	0%	1	9%	1248 43%	10 91%	1439 50%	0	0%	189	7%	0	0%	2	0%	0	0%	1	0%	0	0%	11	0%
APR-2018	0	0%	6	0%	0	0%	1224 43%	11 100%	1437 50%	0	0%	182	6%	0	0%	2	0%	0	0%	1	0%	0	0%	11	0%
MAY-2018	0	0%	7	0%	0	0%	1212 43%	5 100%	1443 51%	0	0%	180	6%	0	0%	2	0%	0	0%	1	0%	0	0%	10	0%
JUN-2018	0	0%	7	0%	1	8%	1191 42%	11 92%	1436 51%	0	0%	177	6%	0	0%	1	0%	0	0%	1	0%	0	0%	10	0%

Definitions:

Initial is defined as number of patients whose first ARV treatment with the BC-CfE DTP contains INGREDIENT; % is calculated as ratio of "Initial" and number of patients whose first treatment is of given CLASS All is defined as number of patients on ARV treatment which contains INGREDIENT; % is calculated as ratio of "All" and number of patients whose treatment is of given CLASS Ritonavir - greater than 400 mg total daily dose







2.7 Number of Participants on Protease Inhibitor by INGREDIENT (continued)

		tipra	navir	
	Initi	al	All	
JAN-2017	0	0%	1	0%
FEB-2017	0	0%	1	0%
MAR-2017	0	0%	1	0%
APR-2017	0	0%	1	0%
MAY-2017	0	0%	1	0%
JUN-2017	0	0%	1	0%
JUL-2017	0	0%	1	0%
AUG-2017	0	0%	1	0%
SEP-2017	0	0%	1	0%
OCT-2017	0	0%	1	0%
NOV-2017	0	0%	1	0%
DEC-2017	0	0%	1	0%
JAN-2018	0	0%	1	0%
FEB-2018	0	0%	1	0%
MAR-2018	0	0%	1	0%
APR-2018	0	0%	1	0%
MAY-2018	0	0%	1	0%
JUN-2018	0	0%	1	0%

Definitions:

Initial is defined as number of patients whose first ARV treatment with the BC-CfE DTP contains INGREDIENT; % is calculated as ratio of "Initial" and number of patients whose first treatment is of given CLASS All is defined as number of patients on ARV treatment which contains INGREDIENT; % is calculated as ratio of "All" and number of patients whose treatment is of given CLASS Ritonavir - greater than 400 mg total daily dose







2.8 Number of Participants on Non-Nucleosides by INGREDIENT

	efav	irenz		etra	/irine		nevira	apine	rilpivirine				
	Initial	All	Initi	al	All	Init	ial	All	Init	ial	All		
JAN-2017	4 80%	928 41%	0	0%	292 13%	1	20%	799 35%	0	0%	269	12%	
FEB-2017	4 80%	907 40%	0	0%	280 12%	0	0%	791 35%	1	20%	266	12%	
MAR-2017	1 50%	897 40%	0	0%	279 13%	0	0%	790 35%	1	50%	265	12%	
APR-2017	4 44%	888 40%	0	0%	273 12%	1	11%	787 36%	4	44%	271	12%	
MAY-2017	3 75%	877 40%	0	0%	274 12%	0	0%	783 35%	1	25%	279	13%	
JUN-2017	3 100%	853 39%	0	0%	270 12%	0	0%	782 36%	0	0%	288	13%	
JUL-2017	2 100%	838 39%	0	0%	264 12%	0	0%	779 36%	0	0%	283	13%	
AUG-2017	1 100%	821 38%	0	0%	268 12%	0	0%	777 36%	0	0%	285	13%	
SEP-2017	4 50%	808 38%	0	0%	264 12%	1	13%	774 36%	3	38%	296	14%	
OCT-2017	1 100%	802 38%	0	0%	267 13%	0	0%	768 36%	0	0%	299	14%	
NOV-2017	5 71%	800 38%	0	0%	269 13%	0	0%	767 36%	2	29%	300	14%	
DEC-2017	3 75%	793 38%	0	0%	263 12%	0	0%	758 36%	1	25%	301	14%	
JAN-2018	3 50%	779 37%	1	17%	263 13%	2	33%	757 36%	0	0%	302	14%	
FEB-2018	3 75%	771 37%	0	0%	257 12%	0	0%	749 36%	1	25%	306	15%	
MAR-2018	1 33%	758 37%	0	0%	250 12%	0	0%	736 36%	2	67%	311	15%	
APR-2018	1 50%	746 37%	0	0%	245 12%	0	0%	731 36%	1	50%	318	16%	
MAY-2018	4 67%	725 36%	1	17%	252 12%	0	0%	727 36%	1	17%	316	16%	
JUN-2018	1 50%	722 36%	0	0%	248 12%	0	0%	725 36%	1	50%	314	16%	

Definitions:

Initial is defined as number of patients whose first ARV treatment with the BC-CfE DTP contains INGREDIENT; % is calculated as ratio of "Initial" and number of patients whose first treatment is of given CLASS All is defined as number of patients on ARV treatment which contains INGREDIENT; % is calculated as ratio of "All" and number of patients whose treatment is of given CLASS







2.9 Number of Participants on Entry/Integrase Inhibitors by INGREDIENT

		dolute	egravir			elvite	gravir			mara	viroc			ralteg	gravir			enfu	virtide	
	Init	ial	All		Init	ial	All		Initi	al	All		Init	ial	All		Initi	al	All	
JAN-2017	13	81%	1518	53%	3	19%	587	20%	0	0%	52	2%	0	0%	756	26%	0	0%	1	0%
FEB-2017	14	78%	1560	54%	4	22%	588	20%	0	0%	48	2%	0	0%	732	25%	0	0%	1	0%
MAR-2017	13	87%	1620	55%	2	13%	601	20%	0	0%	49	2%	0	0%	732	25%	0	0%	1	0%
APR-2017	14	78%	1655	55%	4	22%	596	20%	0	0%	50	2%	0	0%	722	24%	0	0%	1	0%
MAY-2017	19	86%	1726	57%	3	14%	602	20%	0	0%	47	2%	0	0%	715	23%	0	0%	1	0%
JUN-2017	12	75%	1757	57%	3	19%	596	19%	0	0%	49	2%	1	6%	713	23%	0	0%	1	0%
JUL-2017	8	73%	1791	58%	3	27%	592	19%	0	0%	48	2%	0	0%	705	23%	0	0%	1	0%
AUG-2017	13	72%	1824	58%	4	22%	596	19%	0	0%	49	2%	1	6%	707	22%	0	0%	1	0%
SEP-2017	10	71%	1833	58%	4	29%	600	19%	0	0%	50	2%	0	0%	700	22%	0	0%	1	0%
OCT-2017	8	89%	1879	59%	1	11%	608	19%	0	0%	48	1%	0	0%	708	22%	0	0%	0	0%
NOV-2017	14	67%	1939	60%	5	24%	611	19%	0	0%	49	2%	2	10%	701	22%	0	0%	0	0%
DEC-2017	11	69%	1958	60%	5	31%	603	18%	0	0%	48	1%	0	0%	689	21%	0	0%	0	0%
JAN-2018	9	47%	2006	60%	8	42%	631	19%	0	0%	46	1%	2	11%	688	21%	0	0%	0	0%
FEB-2018	16	70%	2027	60%	6	26%	642	19%	0	0%	45	1%	1	4%	676	20%	0	0%	0	0%
MAR-2018	14	93%	2061	61%	1	7%	646	19%	0	0%	43	1%	0	0%	674	20%	0	0%	0	0%
APR-2018	8	73%	2106	61%	3	27%	654	19%	0	0%	44	1%	0	0%	681	20%	0	0%	0	0%
MAY-2018	13	65%	2140	61%	4	20%	666	19%	1	5%	42	1%	3	15%	675	19%	0	0%	0	0%
JUN-2018	7	64%	2175	62%	3	27%	675	19%	0	0%	42	1%	1	9%	678	19%	0	0%	0	0%

Definitions:

Initial is defined as number of patients whose first ARV treatment with the BC-CfE DTP contains INGREDIENT; % is calculated as ratio of "Initial" and number of patients whose first treatment is of given CLASS All is defined as number of patients on ARV treatment which contains INGREDIENT; % is calculated as ratio of "All" and number of patients whose treatment is of given CLASS







2.10 Distribution of Participants in HIV/AIDS Drug Treatment Program by Regimen Class

		sted PI NRTIs		NNRTI NRTIs		egrase NRTIs	Un-boos + 2	NRTIs		MDRT		Other
MON-YYYY	n	%	n	%	n	%	n	%	n	%	n	%
JAN-2017	2155	30.01	1793	24.97	2135	29.73	139	1.94	63	0.88	897	12.49
FEB-2017	2125	29.79	1772	24.84	2165	30.35	133	1.86	55	0.77	884	12.39
MAR-2017	2133	29.68	1754	24.41	2223	30.94	134	1.86	58	0.81	884	12.30
APR-2017	2109	29.38	1744	24.30	2260	31.49	133	1.85	59	0.82	873	12.16
MAY-2017	2108	29.18	1737	24.04	2308	31.95	132	1.83	59	0.82	880	12.18
JUN-2017	2115	29.19	1719	23.73	2349	32.42	132	1.82	59	0.81	871	12.02
JUL-2017	2102	29.03	1694	23.39	2386	32.95	130	1.80	62	0.86	867	11.97
AUG-2017	2094	28.82	1687	23.22	2408	33.14	130	1.79	61	0.84	886	12.19
SEP-2017	2074	28.72	1676	23.21	2427	33.61	127	1.76	57	0.79	861	11.92
OCT-2017	2050	28.30	1674	23.11	2476	34.18	124	1.71	57	0.79	863	11.91
NOV-2017	2004	27.68	1668	23.04	2519	34.79	119	1.64	56	0.77	875	12.08
DEC-2017	1998	27.65	1660	22.97	2531	35.02	115	1.59	56	0.77	867	12.00
JAN-2018	2009	27.55	1645	22.56	2595	35.59	117	1.60	55	0.75	871	11.94
FEB-2018	1968	27.12	1630	22.46	2615	36.04	116	1.60	59	0.81	868	11.96
MAR-2018	1981	27.21	1616	22.19	2647	36.35	113	1.55	56	0.77	868	11.92
APR-2018	1939	26.69	1596	21.97	2698	37.13	114	1.57	58	0.80	861	11.85
MAY-2018	1932	26.51	1575	21.61	2738	37.57	114	1.56	58	0.80	871	11.95
JUN-2018	1913	26.22	1565	21.45	2791	38.26	113	1.55	58	0.80	855	11.72

Definitions:

n is number of participants on the specified regimen class in the specified month % is ratio of n and total number of participants on ART in the specified month







2.11 Baseline CD4 for Antiretroviral First Starts

MON-YYYY	# of First Starts	# of Pts with CD4 < 100	# of Pts with CD4: 100-199	# of Pts with CD4: 200-349	# of Pts with CD4: 350-500	# of Pts with CD4 > 500	Median CD4
JAN-2017	21	3	2	3	6	6	390
FEB-2017	24	5	3	1	3	10	425
MAR-2017	19	5	3	5	2	2	220
APR-2017	20	1	2	6	5	5	350
MAY-2017	22	2	0	3	9	8	405
JUN-2017	24	6	2	5	3	7	230
JUL-2017	14	2	2	2	1	5	340
AUG-2017	25	4	0	4	3	12	510
SEP-2017	16	1	2	3	3	5	440
OCT-2017	6	2	0	0	1	2	450
NOV-2017	19	2	1	6	3	7	430
DEC-2017	18	2	2	4	4	5	390
JAN-2018	12	1	1	0	4	4	470
FEB-2018	27	3	2	2	6	13	485
MAR-2018	22	4	1	5	4	7	350
APR-2018	14	0	0	4	3	4	400
MAY-2018	12	1	0	4	3	2	370
JUN-2018	16	3	5	1	1	6	237

Definitions:

First Starts defined as starting ARV treatment in the specified month for the first time (ARV naive) **Baseline CD4** is defined as most recent CD4 test before ARV start







2.12 DTP Participants with PVL Measurement within previous five years, and never on ART

MON-YYYY	# of Participants with PVL test	# of Partcipants with PVL test, and never on ART	
JAN-2017	11555	3375	
FEB-2017	11580	3382	
MAR-2017	11631	3431	
APR-2017	11657	3446	
MAY-2017	11698	3471	
JUN-2017	11726	3486	
JUL-2017	11758	3516	
AUG-2017	11794	3543	
SEP-2017	11821	3568	
OCT-2017	11878	3622	
NOV-2017	11890	3621	
DEC-2017	11917	3627	
JAN-2018	11975	3669	
FEB-2018	12004	3683	
MAR-2018	12032	3712	
APR-2018	12062	3742	
MAY-2018	12098	3767	
JUN-2018	12110	3770	

Definitions:

Patients with PVL test are defined as having at leat one PVL test within previous five years, and not reported deceased/moved Never on ART are subset of patients with PVL test, and not being treated with ARVs on or before specified month










HIV/AIDS Drug Treatment Program

Monthly Report

3.1 **Distribution of HIV/AIDS Drug Treatment Program Active Participants** June 2018

N = 7295

BY HEALTH SERVICES DELIVERY AREA





0

BY HEALTH AUTHORITY










3.2 Distribution of HIV/AIDS Drug Treatment Program Active ParticipantsJune 2018

INTERIOR HEALTH AUTHORITY BY HEALTH SERVICES DELIVERY AREA/LOCAL HEALTH AREA








V4T




V1W

3.3 Distribution of HIV/AIDS Drug Treatment Program Active Participants June 2018

FRASER HEALTH AUTHORITY BY HEALTH SERVICES DELIVERY AREA/LOCAL HEALTH AREA













3.4 Distribution of HIV/AIDS Drug Treatment Program Active Participants

June 2018

VANCOUVER COASTAL HEALTH AUTHORITY BY HEALTH SERVICES DELIVERY AREA/LOCAL HEALTH AREA












3.5 Distribution of HIV/AIDS Drug Treatment Program Active Participants June 2018

VANCOUVER ISLAND HEALTH AUTHORITY BY HEALTH SERVICES DELIVERY AREA/LOCAL HEALTH AREA











3.6 Distribution of HIV/AIDS Drug Treatment Program Active Participants June 2018

NORTHERN HEALTH AUTHORITY BY HEALTH SERVICES DELIVERY AREA/LOCAL HEALTH AREA











4.1 Distribution of Participants in BC-CfE Registries by Age and Gender INTERIOR Health Authority

			Ever	Currently
HSDA	Age Group	Alive	treated with ARVs	treated with ARVs
EAST	20-34	*	*	*
KOOTENAY	35-49	*	*	*
	50+	*	*	*
	Total HSDA:	38	51	25
KOOTENAY	0-19	*	*	*
BOUNDARY	20-34	*	*	*
	35-49	*	*	*
	50+	*	*	*
	Total HSDA:	69	92	51
OKANAGAN	0-19	*	*	*
	20-34	*	*	*
	35-49	*	*	*
	50+	*	*	*
	Total HSDA:	354	475	275
THOMPSON/CARIBOO/	0-19	*	*	0
SHUSWAP	20-34	*	*	16
	35-49	*	*	43
	50+	*	*	82
	Total HSDA:	183	243	141
Total HA:	ı	644	861	492

	Age Group	Alive	Ever treated with ARVs	Currently treated with ARVs
	0-19	*	*	*
	20-34	*	*	*
	35-49	*	*	*
	50+	*	*	*
Total HA:		644	861	492

Gender	Alive	Ever treated with ARVs	Currently treated with ARVs
Male	508	687	394
Female	136	174	98

Currently treated with ARVs	# of patients	Med Age	Med CD4	Med PVL
Total HA:	492	54	595	35

^{*} Patients numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month **Med CD4 and PVL tests** defined as most recent tests (as of specified month)







4.2 Distribution of Participants in BC-CfE Registries by Treatment Duration INTERIOR Health Authority

	Treatment		Currently
HSDA	Duration	Alive	treated with ARVs
EAST	10 years or more	18	*
KOOTENAY	5 years or more	6	*
	<5 years	14	*
	Total HSDA:	38	25
KOOTENAY	10 years or more	42	29
BOUNDARY	5 years or more	14	12
	<5 years	13	10
	Total HSDA:	69	51
OKANAGAN	10 years or more	208	150
	5 years or more	68	57
	<5 years	78	68
	Total HSDA:	354	275
THOMPSON/CARIBOO/	10 years or more	98	67
SHUSWAP	5 years or more	39	34
	<5 years	46	40
	Total HSDA:	183	141
Total HA:		644	492

	Treatment Duration	Alive	Currently treated with ARVs
	10 years or more	366	257
	5 years or more	127	107
	<5 years	151	128
Total HA:		644	492

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month **Treatment Duration** defined as number of years since ARV initiation







^{*} Patients numbers > 0 and < 5 are suppressed for privacy purposes.

4.3 Distribution of ARV Prescribing Physicians in BC-CfE Registries INTERIOR Health Authority

HSDA of Physician Residency	# of Physicans ever prescribed ARVs	# of Patients ever treated by Physicians	# of Physicans currently prescribing ARVs	# of Patients currently treated by Physicians
EAST KOOTENAY	38	55	12	21
KOOTENAY BOUNDARY	66	119	22	43
OKANAGAN	208	771	62	268
THOMPSON/CARIBOO/SHUSWAI	P 125	473	37	131
Total:	437	1418	133	463

HSDA of	# of Patients seeking Physician's care	
Patient Residency	out of HA	
EAST KOOTENAY	*	
KOOTENAY BOUNDARY	*	
OKANAGAN	*	
THOMPSON/CARIBOO/SHUS	WAP *	
Total:	86	

Definitions:

Currently prescribing/treated defined as prescribing/being treated in the previous 6 months # of Patients seeking Physician out of HA is defined as patients residing in specified HSDA, but their follow-up physician(s) reside in another HA







 $^{^{\}star}$ Patients numbers > 0 and < 5 are suppressed for privacy purposes.

Distribution of Participants in BC-CfE Registries by Age and Gender 4.4 **FRASER Health Authority**

HSDA	Age Group	Alive	Ever treated with ARVs	Currently treated with ARVs
FRASER EAST	0-19	6	6	5
	20-34	29	30	21
	35-49	107	118	74
	50+	208	279	165
	Total HSDA:	350	433	265
FRASER NORTH	0-19	11	11	*
	20-34	112	113	*
	35-49	347	382	*
	50+	521	826	*
	Total HSDA:	991	1332	768
FRASER SOUTH	0-19	8	8	6
	20-34	103	105	77
	35-49	351	402	289
	50+	485	721	401
	Total HSDA:	947	1236	773
Total HA:		2288	3001	1806

	Age Group	Alive	Ever treated with ARVs	Currently treated with ARVs
	0-19	25	25	13
	20-34	244	248	181
	35-49	805	902	628
	50+	1214	1826	984
Total HA:		2288	3001	1806

Gender	Alive	Ever treated with ARVs	Currently treated with ARVs
Male	1744	2313	1395
Female	544	688	411

Currently treated with ARVs	# of patients	Med Age	Med CD4	Med PVL
Total HA:	1806	51	620	35

^{*} Patients numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month Med CD4 and PVL tests defined as most recent tests (as of specified month)







4.5 Distribution of Participants in BC-CfE Registries by Treatment Duration FRASER Health Authority

ПСДУ	Treatment Duration	Alivo	Currently treated with ARVs
HSDA		Alive	
FRASER EAST	10 years or more	186	140
	5 years or more	93	72
	<5 years	71	53
	Total HSDA:	350	265
FRASER NORTH	10 years or more	507	366
	5 years or more	250	199
	<5 years	234	203
	Total HSDA:	991	768
FRASER SOUTH	10 years or more	481	385
	5 years or more	236	190
	<5 years	230	198
	Total HSDA:	947	773
Total HA:		2288	1806

	Treatment Duration	Currently Alive treated with ARVs	
	10 years or more	1174	891
	5 years or more	579	461
	<5 years	535	454
Total HA:		2288	1806

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month **Treatment Duration** defined as number of years since ARV initiation







^{*} Patients numbers > 0 and < 5 are suppressed for privacy purposes.

Distribution of ARV Prescribing Physicians in BC-CfE Registries 4.6 **FRASER Health Authority**

HSDA of Physician Residency	# of Physicans ever prescribed ARVs	# of Patients ever treated by Physicians	# of Physicans currently prescribing ARVs	# of Patients currently treated by Physicians
FRASER EAST	136	478	40	84
FRASER NORTH	244	1510	57	242
FRASER SOUTH	209	1287	44	363
Total:	589	3275	141	689

HSDA of Patient Residency	# of Patients seeking Physician's care out of HA	
FRASER EAST	195	
FRASER NORTH	657	
FRASER SOUTH	535	
Total:	1387	

Definitions:

Currently prescribing/treated defined as prescribing/being treated in the previous 6 months # of Patients seeking Physician out of HA is defined as patients residing in specified HSDA, but their follow-up physician(s) reside in another HA







^{*} Patients numbers > 0 and < 5 are suppressed for privacy purposes.

4.7 Distribution of Participants in BC-CfE Registries by Age and Gender VANCOUVER COASTAL Health Authority

1100 4		A I'	Ever	Currently	
HSDA	Age Group	Alive	treated with ARVs	treated with ARVs	
NORTH SHORE/	0-19	*	*	0	
COAST GARIBALDI	20-34	*	*	19	
	35-49	*	*	71	
	50+	*	*	183	
	Total HSDA:	327	471	273	
RICHMOND	0-19	*	*	*	
	20-34	*	*	*	
	35-49	*	*	*	
	50+	*	*	*	
	Total HSDA:	163	211	128	
VANCOUVER	0-19	37	40	5	
	20-34	435	446	321	
	35-49	1463	1655	1077	
	50+	2681	4538	2064	
	Total HSDA:	4616	6679	3467	
Total HA:		5106	7361	3868	

	Age Group	Alive	Ever treated with ARVs	Currently treated with ARVs
	0-19	41	44	6
	20-34	483	495	356
	35-49	1593	1799	1182
	50+	2989	5023	2324
Total HA:		5106	7361	3868

Gender	Alive	Ever treated with ARVs	Currently treated with ARVs
	2	2	0
Male	4486	6459	3409
Female	618	900	459

Currently treated with ARVs	# of patients	Med Age	Med CD4	Med PVL
Total HA:	3868	52	620	35

^{*} Patients numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month **Med CD4 and PVL tests** defined as most recent tests (as of specified month)







4.8 Distribution of Participants in BC-CfE Registries by Treatment Duration VANCOUVER COASTAL Health Authority

	Treatment		Currently
HSDA	Duration	Alive	treated with ARVs
NORTH SHORE/	10 years or more	170	135
COAST GARIBALDI	5 years or more	80	68
	<5 years	77	70
	Total HSDA:	327	273
RICHMOND	10 years or more	85	64
	5 years or more	41	32
	<5 years	37	32
	Total HSDA:	163	128
VANCOUVER	10 years or more	2553	1845
	5 years or more	1196	907
	<5 years	867	715
	Never on ART	0	0
	Total HSDA:	4616	3467
Total HA:		5106	3868

	Treatment Duration	۸ اند ده	Currently treated with ARVs
	10 years or more	Alive 2808	2044
	5 years or more	1317	1007
	<5 years	981	817
	Never on ART	0	0
Total HA:		5106	3868

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month **Treatment Duration** defined as number of years since ARV initiation







^{*} Patients numbers > 0 and < 5 are suppressed for privacy purposes.

4.9 Distribution of ARV Prescribing Physicians in BC-CfE Registries VANCOUVER COASTAL Health Authority

HSDA of Physician Residency	# of Physicans ever prescribed ARVs	# of Patients ever treated by Physicians	# of Physicans currently prescribing ARVs	# of Patients currently treated by Physicians
NORTH SHORE/COAST GARIBA	ALDI 162	472	54	174
RICHMOND	43	278	14	91
VANCOUVER	576	10523	210	5336
Total:	781	11273	278	5601

HSDA of Patient Residency	# of Patients seeking Physician's care out of HA	
NORTH SHORE/COAST	GARIBALDI *	
RICHMOND	*	
VANCOUVER	*	
Total:	148	

Definitions:

Currently prescribing/treated defined as prescribing/being treated in the previous 6 months **# of Patients seeking Physician out of HA** is defined as patients residing in specified HSDA, but their follow-up physician(s) reside in another HA







^{*} Patients numbers > 0 and < 5 are suppressed for privacy purposes.

4.10 Distribution of Participants in BC-CfE Registries by Age and Gender VANCOUVER ISLAND Health Authority

HSDA	Age Group	Alive	Ever treated with ARVs	Currently treated with ARVs
		*	*	*
CENTRAL VANCOUVER	0-19	*	*	*
ISLAND	20-34			
ISLAND	35-49	*	*	*
	50+	*	*	*
	Total HSDA:	312	435	254
NORTH	0-19	*	*	*
VANCOUVER	20-34	*	*	*
ISLAND	35-49	*	*	*
	50+	*	*	*
	Total HSDA:	120	159	94
SOUTH	0-19	*	*	*
VANCOUVER	20-34	*	*	*
ISLAND	35-49	*	*	*
	50+	*	*	*
	Total HSDA:	704	990	542
Total HA:	•	1136	1584	890

	Age Group	Alive	Ever treated with ARVs	Currently treated with ARVs
	0-19	8	8	*
	20-34	99	105	*
	35-49	303	351	*
	50+	726	1120	*
Total HA:		1136	1584	890

Gender	Alive	Ever treated with ARVs	Currently treated with ARVs
Male	932	1301	737
Female	204	283	153

Currently treated with ARVs	# of patients	Med Age	Med CD4	Med PVL
Total HA:	890	54	520	35

^{*} Patients numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month **Med CD4 and PVL tests** defined as most recent tests (as of specified month)







4.11 Distribution of Participants in BC-CfE Registries by Treatment Duration VANCOUVER ISLAND Health Authority

	Treatment		Currently
HSDA	Duration	Alive	treated with ARVs
CENTRAL	10 years or more	156	127
VANCOUVER	5 years or more	74	63
ISLAND	<5 years	82	64
	Total HSDA:	312	254
NORTH	10 years or more	64	53
VANCOUVER	5 years or more	28	20
ISLAND	<5 years	28	21
	Total HSDA:	120	94
SOUTH	10 years or more	384	273
VANCOUVER	5 years or more	161	132
ISLAND	<5 years	159	137
	Total HSDA:	704	542
Total HA:		1136	890

	Treatment Duration	Alive	Currently treated with ARVs
	10 years or more	604	453
	5 years or more	263	215
	<5 years	269	222
Total HA:		1136	890

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month **Treatment Duration** defined as number of years since ARV initiation







^{*} Patients numbers > 0 and < 5 are suppressed for privacy purposes.

4.12 Distribution of ARV Prescribing Physicians in BC-CfE Registries VANCOUVER ISLAND Health Authority

HSDA of Physician Residency	# of Physicans ever prescribed ARVs	# of Patients ever treated by Physicians	# of Physicans currently prescribing ARVs	# of Patients currently treated by Physicians
CENTRAL VANCOUVER ISLAND	187	825	78	199
NORTH VANCOUVER ISLAND	125	254	42	72
SOUTH VANCOUVER ISLAND	204	1703	46	556
Total:	516	2782	166	827

HSDA of s	# of Patients eeking Physician's care	
Patient Residency	out of HA	
CENTRAL VANCOUVER ISLAND	48	
NORTH VANCOUVER ISLAND	33	
SOUTH VANCOUVER ISLAND	103	
Total:	184	

Definitions:

Currently prescribing/treated defined as prescribing/being treated in the previous 6 months # of Patients seeking Physician out of HA is defined as patients residing in specified HSDA, but their follow-up physician(s) reside in another HA







 $^{^{*}}$ Patients numbers > 0 and < 5 are suppressed for privacy purposes.

4.13 Distribution of Participants in BC-CfE Registries by Age and Gender NORTHERN Health Authority

			Ever	Currently
HSDA	Age Group	Alive	treated with ARVs	treated with ARVs
NORTH EAST	0-19	*	*	*
	20-34	*	*	*
	35-49	*	*	*
	50+	*	*	*
	Total HSDA:	41	49	24
NORTH WEST	0-19	*	*	0
	20-34	*	*	8
	35-49	*	*	11
	50+	*	*	29
	Total HSDA:	67	104	48
NORTHERN INTERIOR	0-19	5	5	*
	20-34	20	24	*
	35-49	72	88	*
	50+	88	141	*
	Total HSDA:	185	258	133
Total HA:		293	411	205

	Age Group	Alive	Ever treated with ARVs	Currently treated with ARVs
	0-19	8	8	*
	20-34	33	39	*
	35-49	107	141	*
	50+	145	223	*
Total HA:		293	411	205

Condor	Alivo	Ever treated with ARVs	Currently treated with ARVs
Gender	Alive	treated with ARVS	
Male	178	255	129
Female	115	156	76

Currently treated with ARVs	# of patients	Med Age	Med CD4	Med PVL
Total HA:	205	51	540	35

^{*} Patients numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month **Med CD4 and PVL tests** defined as most recent tests (as of specified month)







4.14 Distribution of Participants in BC-CfE Registries by Treatment Duration NORTHERN Health Authority

	Treatment		Currently
HSDA	Duration	Alive	treated with ARVs
NORTH EAST	10 years or more	19	10
	5 years or more	14	9
	<5 years	8	5
	Total HSDA:	41	24
NORTH WEST	10 years or more	23	12
	5 years or more	30	25
	<5 years	14	11
	Total HSDA:	67	48
NORTHERN INTERIOR	10 years or more	67	44
	5 years or more	63	50
	<5 years	55	39
	Total HSDA:	185	133
Total HA:		293	205

	Treatment Duration Alive		Currently treated with ARVs
	10 years or more	109	66
	5 years or more	107	84
	<5 years	77	55
Total HA:		293	205

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month **Treatment Duration** defined as number of years since ARV initiation







^{*} Patients numbers > 0 and < 5 are suppressed for privacy purposes.

4.15 Distribution of ARV Prescribing Physicians in BC-CfE Registries NORTHERN Health Authority

HSDA of Physician Residency	# of Physicans ever prescribed ARVs	# of Patients ever treated by Physicians	# of Physicans currently prescribing ARVs	# of Patients currently treated by Physicians
NORTH EAST	37	61	9	10
NORTH WEST	69	153	16	27
NORTHERN INTERIOR	103	434	17	184
Total:	209	648	42	221

HSDA of Patient Residency	# of Patients seeking Physician's care out of HA	
NORTH EAST	6	
NORTH WEST	18	
NORTHERN INTERIOR	26	
Total:	50	

Definitions:

Currently prescribing/treated defined as prescribing/being treated in the previous 6 months
of Patients seeking Physician out of HA is defined as patients residing in specified HSDA, but their follow-up physician(s) reside in another HA







 $^{^{*}}$ Patients numbers > 0 and < 5 are suppressed for privacy purposes.

4.16 Distribution of Aboriginal Participants in BC-CfE Registries by Health Service Delivery Area and Gender

			Ever	Currently
HA	HSDA	Alive	treated with ARVs	treated with ARVs
INTERIOR	EAST KOOTENAY	6	10	*
	KOOTENAY BOUNDARY	6	9	*
	OKANAGAN	20	35	*
	THOMPSON/CARIBOO/SHUSWAP	26	43	*
	Total HA:	58	97	43
FRASER	FRASER EAST	39	48	29
	FRASER NORTH	52	86	42
	FRASER SOUTH	67	98	50
	Total HA:	158	232	121
VANCOUVER	NORTH SHORE/COAST GARIBALDI	26	49	24
COASTAL	RICHMOND	11	16	10
	VANCOUVER	499	837	413
	Total HA:	536	902	447
VANCOUVER	CENTRAL VANCOUVER ISLAND	51	78	39
ISLAND	NORTH VANCOUVER ISLAND	17	26	13
	SOUTH VANCOUVER ISLAND	34	74	26
	Total HA:	102	178	78
NORTHERN	NORTH EAST	10	12	8
	NORTH WEST	30	58	24
	NORTHERN INTERIOR	66	100	52
	Total HA:	106	170	84
Total:	•	960	1579	773

Total:

		Ever	Currently
Gender	Alive	treated with ARVs	treated with ARVs
Male	597	1011	473
Female	363	568	300

Currently treated with ARVs	# of patients	Med Age	Med CD4	Med PVL
Total:	773	51	492	35

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month **Med CD4 and PVL tests** defined as most recent tests (as of specified month)







^{*} Patients numbers > 0 and < 5 are suppressed for privacy purposes.

5.1 Drug Names and Definitions

Abacavir (Ziagen, ABC): a NUCLEOSIDE ANALOG from ViiV Healthcare.

Active: persons in the HIV/AIDS Drug Treatment program that are prescribed one or more drugs in this current month

Amphotericin B (Fungilin): a drug used for treatment of candidiasis and other fungal infections.

Amprenavir (Agenerase, APV): a PROTEASE INHIBITOR from ViiV Healthcare. No longer marketed in Canada.

Antiretroviral (ARV): a substance that stops or suppresses the activity of a retrovirus, such as HIV. NUCLEOSIDE ANALOGS and PROTEASE INHIBITORS are examples of antiretroviral drugs.

Atazanavir (Reyataz, ATV): a PROTEASE INHIBITOR from Bristol-Myers Squibb.

Atovaquone (Mepron): a medication used to treat pneumocystis carinii pneumonia and, in some cases, toxoplasmosis.

Atripla (ATP): the Bristol-Myers Squibb and Gilead trade name for a tablet containing EFAVIRENZ, TENOFOVIR DF and EMTRICITABINE.

Azithromycin (Zithromax): an antibiotic used for the prevention of mycobacterium avium complex (MAC) in people with advanced HIV infection.

Boosted PI: a PI and a small (400 mg or less, total daily dose) additional dose or RITONAVIR. The addition of RITONAVIR inhibits metabolism of other PIs and improves their exposure. This may allow for decreased dosing frequency or pill burden and may improve adherence and antiretroviral activity.

CD4 Cell Count: the most commonly used marker for assessing the state of the immune system. As CD4 cell count declines, the risk of developing opportunistic infections increases. Normal CD4 cell counts are greater than 800 per cubic millimeter of blood.

Chemokine Receptor Inhibitor: a type of ENTRY INHIBITOR designed to prevent HIV entry by blocking the binding site of co-receptors, such as CCR5 or CXCR4.

Clarithromycin (Biaxin): an antibiotic used for the treatment of mycobacterium avium complex (MAC). It is also used for preventing MAC in those with advanced HIV infection.

Cobicstat: a pharmacokinetic enhancer ("booster") given with other antiretrovirals to improve drug exposure. Cobistat has no anti-HIV activity. It is currently available as a component of STRIBILD, GENVOYA and PREZCOBIX.

Combination Therapy: initial combination therapy for HIV contains at least three ANTIRETROVIRALS.

Combivir (CBV): the ViiV Healthcare trade name for a tablet containing both ZIDOVUDINE and LAMIVUDINE.

Complera (CPL): the Gilead trade name for a tablet containing EMTRICITABINE, RILPIVIRINE and TENOFOVIR DF.

Darunavir (Prezista, DRV): a PROTEASE INHIBITOR from Janssen that has activity against HIV in treatment-experienced patients.

Deceased: persons enrolled in the HIV/AIDS Drug Treatment program that died in this time period.

Delavirdine (Rescriptor, DLV): a NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITOR (NNRTI) from ViiV Healthcare.







Descovy (DSC): the Gilead trade name for a tablet containing EMTRICITABINE and TENOFOVIR AF.

Didanosine (Videx, DDI): a NUCLEOSIDE ANALOG from Bristol-Myers Squibb.

Dolutegravir (Tivicay, DTG): an INTEGRASE INHIBITOR from ViiV Healthcare.

Efavirenz (Sustiva, Auro efavirenz, EFV): a NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITOR (NNRTI) from Bristol-Myers Squibb.

Elvitegravir (EGV): an INTEGRASE INHIBITOR from Gilead Sciences. It is currently available as a component of STRIBILD.

Emtricitabine (FTC): a NUCLEOSIDE ANALOG from Gilead Sciences. It its currently available as a component of TRUVADA and other combinations.

Enfuvirtide (Fuzeon, T20): a FUSION INHIBITOR from Hoffman-La Roche that targets the gp41 protein on the surface of HIV. It is administered as a subcutaneous injection.

Entry Inhibitor: a drug that inhibits the entry of HIV into cells. Entry inhibitors include FUSION INHIBITORS, CHEMOKINE RECEPTOR INHIBITORS, and attachment inhibitors.

Etravirine (Intelence, ETV): a NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITOR from Janssen that has activity against HIV in treatment-experienced patients.

Ethambutol (Myambutol): an antibiotic used in COMBINATION THERAPY for treatment of mycobacterial infections such as tuberculosis and mycobacterium avium complex (MAC).

First started program: a person prescribed their first regimen ever in the HIV/AIDS drug treatment program.

Fosamprenavir (Telzir, fAPV): a PROTEASE INHIBITOR from ViiV Healthcare. Fosamprenavir is a PRODRUG of AMPRENAVIR.

Fusion Inhibitor: a type of ENTRY INHIBITOR designed to prevent HIV from fusing with and thereby infecting CD4 cells.

Genvoya (GNV): the Gilead trade name for a tablet containing ELVITEGRAVIR, COBICSTAT, EMTRICITABINE and TENOFOVIR AF.

Granulocyte Colony Stimulating Factor (GCSF, Neupogen): a natural hormone that stimulates production of granulocytes, a type of white blood cell (leukocyte).

Health Authority: refers to the five (Interior, Fraser, Northern, Vancouver Coastal, Vancouver Island) health authorities created by the BC Ministry of Health.

Inactive: persons no longer dispensed drugs through the HIV/AIDS Drug Treatment program this current month.

Indinavir (Crixivan, IDV): a PROTEASE INHIBITOR from Merck.

Integrase Inhibitor: a drug that blocks integrase, a protein that HIV needs to enter cells and produce copies of itself, from working.

Kivexa (KIV): the ViiV Healthcare's trade name for a tablet containing both ABACAVIR and LAMIVUDINE.

Lamivudine (3TC): a NUCLEOSIDE ANALOG from ViiV Healthcare with activity against HIV and hepatitis B.

Lopinavir (Kaletra, LPV/r): a PROTEASE INHIBITOR from Abbott Laboratories. Kaletra is a combination of lopinavir and a low dose of RITONAVIR, a drug that improves blood levels of lopinavir.







Maraviroc (Celsentri, MVC): a CHEMOKINE RECEPTOR INHIBITOR from ViiV Healthcare that inhibits HIV entry by blocking the binding site of the CCR5 co-receptor.

Median (MED) age: median age of participants in the HIV/AIDS Drug Treatment program in that time period.

MDRT: see MULTIPLE DRUG RESCUE THERAPY

Moved out of BC: a person in the HIV/AIDS Drug Treatment program that is no longer in the program, because they moved out of BC in this time period.

Moxifloxacin: a fluoroquinolone antibiotic that is used for treatment of mycobacterium avium complex which is resistant to clarithromycin.

Multiple Drug Rescue Therapy (MDRT or Mega-HAART): the use of five or more antiretrovirals to treat HIV, typically some or all of which have been used previously by the individual.

Nelfinavir (Viracept, NFV): a PROTEASE INHIBITOR from ViiV Healthcare.

Net change: the net increase or decrease in persons enrolled in the HIV/AIDS Drug Treatment Program from the previous time period.

Nevirapine (Viramune, NVP): a NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITOR (NNRTI) from Boehringer Ingelheim.

NNRTI: see NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITOR.

NNRTI / no PI: a combination therapy regimen of four or fewer antiretroviral drugs, including an NNRTI, but no PIs.

Non-Nucleoside Reverse Transcriptase Inhibitor (NNRTI): a member of a class of compounds, including DELAVIRDINE, NEVIRAPINE, EFAVIRENZ and ETRAVIRINE that acts to directly combine with and block the action of HIV's reverse transcriptase enzyme.

NRTI: see NUCLEOSIDE ANALOG.

Nucleoside Analog (Nucleoside Analog Reverse Transcriptase Inhibitor, NRTI): a type of ANTIVIRAL drug whose structure constitutes a defective version of a natural nucleoside. Nucleoside analogs may take the place of the natural nucleosides, blocking the completion of a viral DNA chain during infection of a new cell by HIV. The HIV enzyme reverse transcriptase is more likely to incorporate nucleoside analogs into the DNA it is constructing than is the DNA polymerase that cells normally use for DNA construction.

Nucleotide Analog: ANTIVIRAL compounds that function exactly like NUCLEOSIDE ANALOGS but are preactivated through the addition of a phosphate group during their synthesis. This phosphorylation is supposed to enhance the drug levels and activity achieved within cells.

Octreotide Acetate (Sandostatin): a drug used to treat chronic refractory diarrhea.

Odefsey (ODF): the Gilead trade name for a tablet containing RILPIVIRINE, EMTRICITABINE and TENOFOVIR AF.

One or more PI: a combination therapy regimen of four or fewer antiretroviral drugs, including one unboosted PI or 2 or more PIs with or without a small (400 mg or less, total daily dose) additional dose of RITONAVIR.

Other: an antiretroviral regimen in the HIV/AIDS Drug Treatment program other than NNRTI/no PI, boosted PI, 1 or more PIs or MDRT-based regimens (eg. Triple Nucleoside regimens).

Paromomycin (Humatin): an antibiotic used to treat infections caused by intestinal parasites, including AIDS-related cryptosporidiosis.







Pentamidine: an antiprotozoal drug used in aerosol form as a preventative against pneumocystis carinii pneumonia (PCP).

PI: see PROTEASE INHIBITOR.

Prezcobix (PZC): the Janssen trade name for a tablet containing DARUNAVIR and COBICISTAT.

Prodrug: a compound that is converted within the body into the active form that has medical effects.

Protease Inhibitor: a drug that binds to and blocks HIV protease from working, thus preventing the production of new functional viral particles.

Raltegravir (RGV, Isentress): an INTEGRASE INHIBITOR from Merck.

Restarted/ changed therapy (Tx): a person in the HIV/AIDS Drug Treatment program that was either CURRENTLY OFF THERAPY and now has been prescribed a new regimen or a person who has changed regimens.

Rifabutin (Mycobutin): an oral drug used to prevent mycobacterium avium complex (MAC) in people with advanced HIV infection. Rifabutin is also used in combination with other drugs for the treatment of active MAC infections.

Rilpivirine (Edurant, RPV): a NON-NUCELOSIDE REVERSE TRANSCRIPTASE INHIBITOR (NNRTI) from Janssen.

Ritonavir (Norvir, RTV): a PROTEASE INHIBITOR from Abbott. Ritonavir is commonly used to inhibit the liver enzyme metabolism of other protease inhibitors and improve their blood exposure ("booster").

Saquinavir (Invirase, SQV): a PROTEASE INHIBITOR from Hoffman-La Roche.

Stavudine (Zerit, d4T): a NUCLEOSIDE ANALOG from Bristol-Myers Squibb.

Stopped all therapies (Tx): a person in the HIV/AIDS Drug Treatment program that stopped all therapies in this time period and is now CURRENTLY OFF THERAPY.

Stribild (STR): the Gilead trade name for a tablet containing ELVITEGRAVIR, COBICISTAT, EMTRICITABINE and TENOFOVIR DF.

Tenofovir alafenamide (Tenofovir AF, TAF): a NUCLEOTIDE ANALOG from Gilead Sciences with activity against HIV. It is currently available as a component of DESCOVY and GENVOYA.

Tenofovir disoproxil fumarate (Viread, Tenofovir DF, TDF): a NUCLEOTIDE ANALOG from Gilead Sciences with activity against HIV and hepatitis B.

Tipranavir (Aptivus, TPV): a PROTEASE INHIBITOR from Boehringer Ingelheim that has activity against HIV in treatment-experienced patients.

Triple Therapy: the use of three drugs, most often a PROTEASE INHIBITOR or NON-NUCLEOSIDE ANALOG with two NUCLEOSIDE ANALOGS, in the treatment of HIV.

Triumeq (TRQ): the ViiV Healthcare's trade name for a tablet containing DOLUTEGRAVIR, ABACAVIR and LAMIVUDINE.

Trizivir (TRZ): the ViiV Healthcare's trade name for a tablet containing ABACAVIR, ZIDOVUDINE and LAMIVUDINE.

Truvada (TRU): the Gilead trade name for a tablet containing TENOFOVIR DF and EMTRICITABINE.









Valganciclovir: an antiviral drug used to treat cytomegalovirus (CMV) retinitis.

Viral Load: the amount of HIV RNA per unit of blood plasma. An indicator of virus concentration and reproduction rate. HIV viral load is employed as a measure of the success of antiretroviral therapy.

Zidovudine (Retrovir, AZT): a NUCLEOSIDE ANALOG from ViiV Healthcare. AZT is also approved for preventing maternal-fetal HIV transmission.





