



BRITISH COLUMBIA
CENTRE *for* EXCELLENCE
in HIV/AIDS

B.C. HIV/AIDS Drug Treatment Program

Monthly Report

November 2017





© 2018 BC Centre for Excellence in HIV/AIDS

DISCLAIMER: This document is published by the British Columbia Centre for Excellence in HIV/AIDS (BC-CfE) as an overview of the activities of the BC-CfE's Drug Treatment Program. All information is generated from a live database maintained by the BC-CfE that houses data for clinical and virological outcome studies of patients receiving antiretroviral therapy.

This database is updated on a regular basis. Figures and tables provided in this Monthly Report represent the best estimates available at the time this document was generated.

Please be advised that information provided in this document is provided in good faith and is derived from sources believed to be accurate and up-to-date at the report's date of publication. The BC Centre for Excellence in HIV/AIDS nevertheless reserves the right to update this information at any time.

Information provided here at this time, is being provided freely, and no kind of agreement or contract is created between you and the authors. The authors cannot be responsible for any violations should you reproduce or republish the information contained herein.

Please note that the figures and graphs in this document are best viewed in colour.

**BC Centre for Excellence in HIV/AIDS
Drug Treatment Program**

St. Paul's Hospital
608 - 1081 Burrard Street
Vancouver, BC
V6Z 1Y6

Tel: 604.806.8202
Fax: 604.806.9044

Physician Drug Hotline: 1.800.665.7677
St. Paul's Hospital Pharmacy Hotline: 1.888.511.6222
Website: www.cfenet.ubc.ca
Email: info@cfenet.ubc.ca

Funding for the BC Centre for Excellence in HIV/AIDS is provided through Pharmacare and the Provincial Health Services Authority (PHSA)





EXECUTIVE SUMMARY

A key component of the BC Centre for Excellence in HIV/AIDS' (BC-CfE) mandate is to monitor the impact of HIV/AIDS in British Columbia. The BC-CfE provides essential information to local health authorities, treating physicians, and the community at large on an ongoing basis. The HIV/AIDS Drug Treatment Program (DTP) Update is one example of the BC-CfE's commitment to HIV-infected persons throughout the Province of British Columbia.

The DTP distributes anti-HIV drugs at no cost to eligible British Columbians. The DTP Update provides an important overview of available anti-HIV drugs, common drug combinations and distribution of active DTP participants throughout the province.

DTP participants are typically followed at three-monthly intervals at which time routine blood sampling is performed. Information from all recipients is entered into a database, providing data for clinical and virological outcome studies of patients receiving antiretroviral therapy. These studies form the basis of ongoing revisions to the BC-CfE's treatment guidelines.





TABLE OF CONTENTS

1. List of Figures

- 1.1 Distribution of men and women on antiretroviral therapy in British Columbia by Health Authority
- 1.2 Distribution of Participants in HIV/AIDS Drug Treatment Program by Regimen Class
- 1.3 Percent Distribution of Participants in HIV/AIDS Drug Treatment Program by Regimen Class
- 1.4 BC-CfE Enrolment: Net Number of New Antiretroviral Participants
- 1.5 BC-CfE Enrolment: New Antiretroviral Participants
- 1.6 Percent Distribution of Active Participants by CD4 Count
- 1.7 Percent Distribution of Inactive Participants by CD4 Count
- 1.8 Active and Inactive Participants
- 1.9 Percent Distribution of Participants on ARV Therapy by Number of Drugs
- 1.10 Distribution of Participants on Nucleoside/Nucleotide Analogues by Ingredient
- 1.11 Distribution of Participants on Nucleoside/Nucleotide Analogues at the time of first start of ARV Therapy by Ingredient
- 1.12 Distribution of Participants on Protease Inhibitor by Ingredient
- 1.13 Distribution of Participants on Protease Inhibitor at the time of first start of ARV Therapy by Ingredient
- 1.14 Distribution of Participants on Non-Nucleosides by Ingredient
- 1.15 Distribution of Participants on Non-Nucleosides at the time of first start of ARV Therapy by Ingredient
- 1.16 Distribution of Participants on Entry/Integrase Inhibitors by Ingredient
- 1.17 Distribution of Participants on Entry/Integrase Inhibitors at the time of first start of ARV Therapy by Ingredient
- 1.18 Baseline CD4 for Antiretroviral First Starts
- 1.19 DTP Participants with PVL Measurement within previous five years, and never on ART
- 1.20 Cumulative Resistance Testing Results by Resistance Category
- 1.21 Percent of Participants ever on ARV - Resistance Testing Results by Resistance Category

2. List of Tables

- 2.1 Duration of ARV treatment in the Province of BC, 1987-2012 (for HIV+ persons currently on treatment)
- 2.2 Median Viral Load and CD4 for Active patients in Drug Treatment Program
- 2.3 Median Viral Load and CD4 for Inactive patients in Drug Treatment Program
- 2.4 BC-CfE Enrolment
- 2.5 Percent Distribution of Participants on ARV Therapy by Number of Drugs
- 2.6 Number of Participants on Nucleoside/Nucleotide Analogues by Ingredient
- 2.7 Number of Participants on Protease Inhibitor by Ingredient
- 2.8 Number of Participants on Non-Nucleosides by Ingredient
- 2.9 Number of Participants on Entry/Integrase Inhibitors by Ingredient
- 2.10 Distribution of Participants in HIV/AIDS Drug Treatment Program by Regimen Class
- 2.11 Baseline CD4 for Antiretroviral First Starts
- 2.12 DTP Participants with PVL Measurement within previous five years, and never on ART





Table of Contents, cont'd...

3. Health Authority Maps

- 3.1 Distribution of HIV/AIDS Drug Treatment Program Active Participants
- 3.2 Interior Health Authority & Kelowna
- 3.3 Fraser Health Authority & Surrey
- 3.4 Vancouver Coastal Health Authority & Vancouver
- 3.5 Vancouver Island Health Authority & Victoria
- 3.6 Northern Health Authority & Prince George

4. Health Authority Tables

INTERIOR HEALTH

- 4.1 Distribution of Participants in BC-CfE Registries by Age and Gender
- 4.2 Distribution of Participants in BC-CfE Registries by Treatment Duration
- 4.3 Distribution of ARV Prescribing Physicians in BC-CfE Registries

FRASER HEALTH

- 4.4 Distribution of Participants in BC-CfE Registries by Age and Gender
- 4.5 Distribution of Participants in BC-CfE Registries by Treatment Duration
- 4.6 Distribution of ARV Prescribing Physicians in BC-CfE Registries

VANCOUVER COASTAL

- 4.7 Distribution of Participants in BC-CfE Registries by Age and Gender
- 4.8 Distribution of Participants in BC-CfE Registries by Treatment Duration
- 4.9 Distribution of ARV Prescribing Physicians in BC-CfE Registries

VANCOUVER ISLAND

- 4.10 Distribution of Participants in BC-CfE Registries by Age and Gender
- 4.11 Distribution of Participants in BC-CfE Registries by Treatment Duration
- 4.12 Distribution of ARV Prescribing Physicians in BC-CfE Registries

NORTHERN HEALTH

- 4.13 Distribution of Participants in BC-CfE Registries by Age and Gender
- 4.14 Distribution of Participants in BC-CfE Registries by Treatment Duration
- 4.15 Distribution of ARV Prescribing Physicians in BC-CfE Registries

ABORIGINAL

- 4.16 Distribution of Aboriginal Participants in BC-CfE Registries by Health Service Delivery Area and Gender

5. Appendix

- 5.1 Drug Names and Definitions






1.1 Distribution of men and women on antiretroviral therapy in British Columbia by Health Authority

November 2017

N = 7238



Health Authority	Male	Female	All
FRASER	1375	397	1772
INTERIOR	382	103	485
NORTHERN	133	75	208
VANCOUVER COASTAL	3413	448	3861
VANCOUVER ISLAND	721	159	880
	6024	1182	7206
		Unknown/not stated:	32
		Total:	7238

Definitions:


On antiretroviral therapy defined as being on treatment in the current month

Unknown/not stated defined as being on treatment in the current month, and city of residence unknown






1.2 Distribution of Participants in HIV/AIDS Drug Treatment Program by Regimen Class (November 2012 - November 2017)






1.3 Percent Distribution of Participants in HIV/AIDS Drug Treatment Program by Regimen Class (November 2012 - November 2017)






1.4 BC-CfE Enrollment: Net Number of New Antiretroviral Participants (November 2012 - November 2017)






1.5 BC-CfE Enrollment: New Antiretroviral Participants (November 2012 - November 2017)






1.6 Percent Distribution of Active Participants by CD4 Count (November 2012 - November 2017)






1.7 Percent Distribution of Inactive Participants by CD4 Count
(November 2012 - November 2017)






1.8 Active and Inactive Participants (November 2012 - November 2017)






1.9 Percent Distribution of Participants on ARV Therapy by Number of Drugs (November 2012 - November 2017)






1.10 Distribution of Participants on Nucleoside/Nucleotide Analogues by INGREDIENT (November 2012 - November 2017)






1.11 Distribution of Participants on Nucleoside/Nucleotide Analogues at the time of first start of ARV Therapy by INGREDIENT

(November 2012 - November 2017)






1.12 Distribution of Participants on Protease Inhibitor by INGREDIENT (November 2012 - November 2017)






1.13 Distribution of Participants on Protease Inhibitor at the time of first start of ARV Therapy by INGREDIENT

(November 2012 - November 2017)






1.14 Distribution of Participants on Non-Nucleosides by INGREDIENT (November 2012 - November 2017)






1.15 Distribution of Participants on Non-Nucleosides at the time of first start of ARV Therapy by INGREDIENT (November 2012 - November 2017)






1.16 Distribution of Participants on Entry/Integrase Inhibitors by INGREDIENT (November 2012 - November 2017)






1.17 Distribution of Participants on Entry/Integrase Inhibitors at the time of first start of ARV Therapy by INGREDIENT

(November 2012 - November 2017)






1.18 Baseline CD4 for Antiretroviral First Starts (November 2012 - November 2017)






**1.19 DTP Participants with PVL Measurement within previous five years, and never on ART
(November 2012 - November 2017)**






1.20 Cumulative Resistance Testing Results by Resistance Category (November 2012 - November 2017)





1.21 Percent of Participants ever on ARV - Resistance Testing Results by Resistance Category (November 2012 - November 2017)





**2.1 Duration of ARV treatment in the Province of BC, 1987-2017
(for HIV+ persons currently on treatment)**

Start Year	Duration (years) Median	Male	Female	All	Current CD4 (n)	Median	Current PVL (n)	Median	Current ARV Median
1987	25	5	0	5	5	720	5	<40	3
1988	26	7	0	7	7	560	7	<40	3
1989	25	57	2	59	50	495	56	<40	3
1990	23	62	1	63	57	530	62	<40	3
1991	23	39	3	42	34	525	40	<40	3
1992	23	69	5	74	61	560	73	<40	3
1993	22	145	16	161	145	570	157	<40	3
1994	21	87	14	101	87	570	96	<40	3
1995	21	131	23	154	128	565	144	<40	3
1996	19	364	58	422	370	590	409	<40	3
1997	17	294	38	332	286	640	315	<40	3
1998	16	208	42	250	219	560	240	<40	3
1999	16	174	42	216	181	570	202	<40	3
2000	16	129	33	162	142	580	154	<40	3
2001	16	129	36	165	136	560	156	<40	3
2002	15	136	30	166	145	580	159	<40	3
2003	14	165	30	195	172	585	186	<40	3
2004	13	174	41	215	178	600	199	<40	3
2005	12	191	45	236	202	630	225	<40	3
2006	11	196	46	242	197	560	222	<40	3
2007	10	266	52	318	263	620	294	<40	3
2008	9	301	70	371	313	630	347	<40	3
2009	8	330	74	404	336	631	374	<40	3
2010	7	291	69	360	306	625	333	<40	3
2011	6	348	73	421	361	670	389	<40	3
2012	5	289	61	350	296	700	333	<40	3
2013	4	278	68	346	287	640	325	<40	3
2014	3	306	55	361	301	700	340	<40	3
2015	2	311	51	362	302	655	344	<40	3
2016	1	303	66	369	310	640	359	<40	3
2017	1	251	38	289	261	550	282	<40	3
Total:		6036	1182	7218					

Definitions:

On treatment defined as being on ARV therapy in the specified month and not reported deceased

Duration defined as cumulative years on ARV therapy, excluding periods of treatment interruption

Current CD4 and PVL tests defined as tests done in the last 6 months (most recent)

Current ARV defined as number of ARV drugs in the current regimen





2.2 Median Viral Load and CD4 for Active patients in Drug Treatment Program

MON-YYYY	# of patients	Median # of therapy days	# of patients with PVL test	Median PVL	# of patients with CD4 test	Median CD4
JAN-2016	6970	735	2262	<40	2024	590
FEB-2016	6989	735	2064	<40	1865	590
MAR-2016	6995	736	2156	<40	1958	590
APR-2016	7014	733	2053	<40	1864	580
MAY-2016	7043	747	2071	<40	1885	590
JUN-2016	7062	739	2180	<40	1993	610
JUL-2016	7052	749	1949	<40	1761	600
AUG-2016	7068	750	2068	<40	1879	590
SEP-2016	7107	751	2214	<40	1999	600
OCT-2016	7138	746	2153	<40	1935	600
NOV-2016	7169	741	2111	<40	1903	580
DEC-2016	7192	748	1872	<40	1708	620
JAN-2017	7182	747	2326	<40	2071	590
FEB-2017	7134	755	1914	<40	1736	590
MAR-2017	7186	745	2203	<40	2017	600
APR-2017	7178	746	1966	<40	1766	590
MAY-2017	7224	744	2276	<40	2050	590
JUN-2017	7246	752	2120	<40	1945	600
JUL-2017	7244	753	1966	<40	1772	580
AUG-2017	7267	757	2105	<40	1856	590
SEP-2017	7227	762	2042	<40	1786	615
OCT-2017	7252	769	2191	<40	1826	610
NOV-2017	7238	767	2072	<40	1752	610

Definitions:

Active patient defined as being on ARV treatment in the specified month

Therapy days defined as number of consecutive days on ARV treatment (most recent uninterrupted period)

PVL and CD4 tests defined as tests done in the specified month





2.3 Median Viral Load and CD4 for Inactive patients in Drug Treatment Program

MON-YYYY	# of patients	Median # days of off therapy	# of patients with PVL test	Median PVL	# of patients with CD4 test	Median CD4
JAN-2016	1518	2305	116	<40	104	465
FEB-2016	1510	2368	83	353	74	380
MAR-2016	1517	2338	87	130	83	440
APR-2016	1521	2326	87	<50	74	360
MAY-2016	1505	2405	79	<40	69	350
JUN-2016	1516	2403	72	76	56	505
JUL-2016	1540	2339	81	<50	76	455
AUG-2016	1565	2239	94	158	78	360
SEP-2016	1552	2334	96	240	80	360
OCT-2016	1525	2484	74	<40	70	415
NOV-2016	1522	2533	73	1007	58	380
DEC-2016	1523	2564	52	122	44	480
JAN-2017	1540	2523	88	140	78	417
FEB-2017	1596	2300	79	1387	69	400
MAR-2017	1550	2482	100	568	90	380
APR-2017	1568	2454	94	545	84	420
MAY-2017	1542	2613	86	148	75	420
JUN-2017	1532	2672	76	197	68	485
JUL-2017	1552	2577	68	376	59	510
AUG-2017	1550	2616	78	160	68	495
SEP-2017	1604	2463	74	323	65	410
OCT-2017	1579	2573	88	200	76	470
NOV-2017	1612	2405	81	121	68	350

Definitions:

Inactive patient defined as not deceased, not being on ARV treatment in the specified month (but previously treated with ARVs)

Days off therapy defined as number of days elapsed since last ARV treatment

PVL and CD4 tests defined as tests done in the specified month





2.4 BC-CfE Enrollment

MON-YYYY	Currently on ARV Therapy	Currently off ARV Therapy	Deceased	First Starts	Experienced Starts	New Inactive	Net Change	Cumulative Patients
JAN-2016	6940	1518	9	16	153	168	-11	12422
FEB-2016	6960	1510	5	18	178	163	20	12450
MAR-2016	6968	1517	9	23	171	173	8	12484
APR-2016	6987	1521	6	20	166	157	19	12518
MAY-2016	7018	1505	7	21	161	142	31	12549
JUN-2016	7032	1516	12	34	163	167	14	12592
JUL-2016	7015	1540	11	25	136	157	-17	12624
AUG-2016	7030	1565	10	39	166	173	15	12684
SEP-2016	7072	1552	5	27	179	151	42	12727
OCT-2016	7101	1525	11	22	161	137	29	12758
NOV-2016	7127	1522	20	27	181	160	26	12804
DEC-2016	7149	1523	11	25	154	142	22	12844
JAN-2017	7144	1540	21	22	140	144	-5	12876
FEB-2017	7104	1596	10	24	136	185	-40	12910
MAR-2017	7150	1550	17	19	189	140	46	12936
APR-2017	7141	1568	12	20	143	154	-9	12968
MAY-2017	7194	1542	7	22	170	128	53	13002
JUN-2017	7213	1532	10	24	151	137	19	13032
JUL-2017	7210	1552	7	14	135	143	-3	13051
AUG-2017	7236	1550	10	25	155	141	26	13081
SEP-2017	7196	1604	12	17	137	178	-40	13110
OCT-2017	7228	1579	7	7	183	149	32	13125
NOV-2017	7218	1612	9	22	135	157	-10	13160

Definitions:

Currently on ARV Therapy defined as being on ARV treatment in the specified month, and not deceased/moved out of BC

Currently off ARV Therapy defined as not being on ARV treatment in the specified month, not deceased/moved out of BC, but on ARVs in the past

Deceased defined as deceased in the specified month, and being on ARV treatment in the previous month

First Starts defined as starting ARV treatment in the specified month for the first time (ARV naive)

Experienced Starts defined as starting ARV treatment in the specified month, but previously being treated with ARVs

New Inactive defined as not being on ARV treatment in the specified month, not deceased/moved out of BC, but on ARV treatment in the previous month

Net Change is defined as difference between ARV starts (First and Experienced) and ARV stops (Deceased/Moved out of BC and New Inactive)





2.5 Percent Distribution of Participants on ARV Therapy by Number of Drugs

MON-YYYY	Less than 3 Drugs	3 Drugs	4 Drugs	5 or more Drugs	All ARV	Less than 3 Drugs%	3 Drugs%	4 Drugs%	5 or more Drugs%	Total%
JAN-2016	58	6405	446	61	6970	0.83%	91.89%	6.40%	0.88%	100.00%
FEB-2016	59	6436	435	59	6989	0.84%	92.09%	6.22%	0.84%	100.00%
MAR-2016	54	6442	438	61	6995	0.77%	92.09%	6.26%	0.87%	100.00%
APR-2016	54	6464	439	57	7014	0.77%	92.16%	6.26%	0.81%	100.00%
MAY-2016	57	6495	437	54	7043	0.81%	92.22%	6.20%	0.77%	100.00%
JUN-2016	60	6499	447	56	7062	0.85%	92.03%	6.33%	0.79%	100.00%
JUL-2016	57	6496	442	57	7052	0.81%	92.12%	6.27%	0.81%	100.00%
AUG-2016	57	6508	447	56	7068	0.81%	92.08%	6.32%	0.79%	100.00%
SEP-2016	59	6544	447	57	7107	0.83%	92.08%	6.29%	0.80%	100.00%
OCT-2016	58	6578	445	57	7138	0.81%	92.15%	6.23%	0.80%	100.00%
NOV-2016	61	6603	446	59	7169	0.85%	92.10%	6.22%	0.82%	100.00%
DEC-2016	62	6635	437	58	7192	0.86%	92.26%	6.08%	0.81%	100.00%
JAN-2017	61	6615	443	63	7182	0.85%	92.11%	6.17%	0.88%	100.00%
FEB-2017	60	6579	440	55	7134	0.84%	92.22%	6.17%	0.77%	100.00%
MAR-2017	60	6629	439	58	7186	0.83%	92.25%	6.11%	0.81%	100.00%
APR-2017	58	6633	428	59	7178	0.81%	92.41%	5.96%	0.82%	100.00%
MAY-2017	62	6665	438	59	7224	0.86%	92.26%	6.06%	0.82%	100.00%
JUN-2017	57	6691	439	59	7246	0.79%	92.34%	6.06%	0.81%	100.00%
JUL-2017	61	6687	434	62	7244	0.84%	92.31%	5.99%	0.86%	100.00%
AUG-2017	61	6697	448	61	7267	0.84%	92.16%	6.16%	0.84%	100.00%
SEP-2017	57	6681	432	57	7227	0.79%	92.44%	5.98%	0.79%	100.00%
OCT-2017	58	6698	439	57	7252	0.80%	92.36%	6.05%	0.79%	100.00%
NOV-2017	59	6679	444	56	7238	0.82%	92.28%	6.13%	0.77%	100.00%

Definitions:

Number of Drugs is calculated as number of individual drugs in ARV Therapy (excluding low dose ritonavir used for boosting a protease inhibitor)





Monthly Report

2.6 Number of Participants on Nucleoside/Nucleotide Analogues by INGREDIENT

	lamivudine		abacavir		zidovudine		stavudine		didanosine		tenofovir <TAF>		tenofovir <TDF>	
	Initial	All	Initial	All	Initial	All	Initial	All	Initial	All	Initial	All	Initial	All
JAN-2016	4 19%	2818 42%	4 19%	2485 37%	0 0%	93 1%	0 0%	11 0%	0 0%	8 0%	0 0%	0 0%	17 81%	4164 62%
FEB-2016	10 36%	2850 42%	9 32%	2518 37%	1 4%	94 1%	0 0%	11 0%	0 0%	8 0%	0 0%	0 0%	18 64%	4134 61%
MAR-2016	9 26%	2876 43%	7 21%	2541 38%	1 3%	94 1%	0 0%	11 0%	0 0%	8 0%	0 0%	0 0%	26 76%	4111 61%
APR-2016	12 35%	2893 43%	9 26%	2567 38%	3 9%	93 1%	0 0%	11 0%	0 0%	8 0%	0 0%	5 0%	22 65%	4102 60%
MAY-2016	8 26%	2894 43%	8 26%	2578 38%	0 0%	92 1%	0 0%	11 0%	0 0%	7 0%	0 0%	6 0%	23 74%	4119 61%
JUN-2016	11 26%	2924 43%	11 26%	2602 38%	0 0%	91 1%	0 0%	12 0%	0 0%	7 0%	1 2%	9 0%	31 72%	4116 60%
JUL-2016	9 28%	2903 43%	9 28%	2583 38%	0 0%	90 1%	0 0%	12 0%	0 0%	7 0%	0 0%	9 0%	23 72%	4113 60%
AUG-2016	11 19%	2935 43%	11 19%	2625 38%	0 0%	80 1%	0 0%	11 0%	0 0%	7 0%	6 10%	22 0%	42 71%	4097 60%
SEP-2016	14 33%	2968 43%	12 28%	2658 39%	0 0%	81 1%	0 0%	8 0%	0 0%	6 0%	3 7%	25 0%	27 63%	4101 60%
OCT-2016	11 35%	2997 43%	11 35%	2689 39%	0 0%	82 1%	0 0%	9 0%	0 0%	7 0%	0 0%	26 0%	20 65%	4098 59%
NOV-2016	17 37%	3023 44%	17 37%	2722 39%	0 0%	78 1%	0 0%	7 0%	0 0%	6 0%	0 0%	35 1%	29 63%	4088 59%
DEC-2016	7 18%	3058 44%	7 18%	2753 40%	0 0%	77 1%	0 0%	6 0%	0 0%	6 0%	0 0%	35 1%	33 83%	4077 59%
JAN-2017	13 41%	3068 44%	13 41%	2772 40%	0 0%	75 1%	0 0%	5 0%	0 0%	6 0%	0 0%	46 1%	19 59%	4050 58%
FEB-2017	12 35%	3074 44%	10 29%	2783 40%	1 3%	71 1%	0 0%	5 0%	0 0%	6 0%	0 0%	50 1%	22 65%	3981 58%
MAR-2017	7 27%	3105 45%	7 27%	2824 41%	0 0%	69 1%	0 0%	6 0%	0 0%	5 0%	0 0%	78 1%	19 73%	4000 57%
APR-2017	13 41%	3114 45%	12 38%	2834 41%	1 3%	68 1%	0 0%	6 0%	0 0%	6 0%	0 0%	96 1%	19 59%	3962 57%
MAY-2017	9 26%	3159 45%	9 26%	2881 41%	0 0%	73 1%	0 0%	6 0%	0 0%	5 0%	1 3%	119 2%	24 71%	3930 56%
JUN-2017	6 20%	3170 45%	6 20%	2903 41%	0 0%	71 1%	0 0%	6 0%	0 0%	5 0%	2 7%	143 2%	22 73%	3898 55%
JUL-2017	7 37%	3200 46%	7 37%	2930 42%	0 0%	72 1%	0 0%	6 0%	0 0%	5 0%	0 0%	161 2%	12 63%	3862 55%
AUG-2017	6 20%	3224 46%	4 13%	2958 42%	0 0%	69 1%	0 0%	6 0%	0 0%	5 0%	2 7%	171 2%	23 77%	3838 54%
SEP-2017	10 34%	3216 46%	10 34%	2953 42%	0 0%	66 1%	0 0%	5 0%	0 0%	4 0%	3 10%	207 3%	16 55%	3776 54%
OCT-2017	6 40%	3245 46%	6 40%	2988 43%	0 0%	65 1%	0 0%	4 0%	0 0%	4 0%	2 13%	245 3%	7 47%	3718 53%
NOV-2017	10 29%	3277 47%	9 26%	3021 43%	0 0%	65 1%	0 0%	5 0%	0 0%	4 0%	1 3%	264 4%	24 69%	3662 52%

Definitions:

Initial is defined as number of patients whose first ARV treatment with the BC-CfE DTP contains INGREDIENT;

% is calculated as ratio of "Initial" and number of patients whose first treatment is of given CLASS

All is defined as number of patients on ARV treatment which contains INGREDIENT;

% is calculated as ratio of "All" and number of patients whose treatment is of given CLASS





Monthly Report

2.6 Number of Participants on Nucleoside/Nucleotide Analogues by INGREDIENT (continued)

	emtricitabine			
	Initial		All	
JAN-2016	17	81%	3848	57%
FEB-2016	18	64%	3828	57%
MAR-2016	25	74%	3809	56%
APR-2016	22	65%	3812	56%
MAY-2016	23	74%	3834	56%
JUN-2016	32	74%	3829	56%
JUL-2016	23	72%	3830	56%
AUG-2016	48	81%	3831	56%
SEP-2016	29	67%	3846	56%
OCT-2016	20	65%	3848	56%
NOV-2016	29	63%	3852	56%
DEC-2016	33	83%	3843	55%
JAN-2017	19	59%	3828	55%
FEB-2017	22	65%	3771	55%
MAR-2017	19	73%	3803	55%
APR-2017	19	59%	3791	55%
MAY-2017	25	74%	3795	54%
JUN-2017	24	80%	3797	54%
JUL-2017	12	63%	3771	54%
AUG-2017	24	80%	3768	53%
SEP-2017	19	66%	3742	53%
OCT-2017	8	53%	3734	53%
NOV-2017	25	71%	3694	53%

Definitions:

Initial is defined as number of patients whose first ARV treatment with the BC-CfE DTP contains INGREDIENT;

% is calculated as ratio of "Initial" and number of patients whose first treatment is of given CLASS

All is defined as number of patients on ARV treatment which contains INGREDIENT;

% is calculated as ratio of "All" and number of patients whose treatment is of given CLASS





2.7 Number of Participants on Protease Inhibitor by INGREDIENT

	(fos)amprenavir		atazanavir		darunavir		lopinavir		nelfinavir		ritonavir		saquinavir	
	Initial	All	Initial	All	Initial	All	Initial	All	Initial	All	Initial	All	Initial	All
JAN-2016	0 0%	11 0%	5 45%	1822 55%	5 45%	1127 34%	1 9%	326 10%	0 0%	3 0%	0 0%	1 0%	0 0%	17 1%
FEB-2016	0 0%	10 0%	6 46%	1793 55%	6 46%	1154 35%	1 8%	317 10%	0 0%	3 0%	0 0%	1 0%	0 0%	17 1%
MAR-2016	0 0%	9 0%	4 25%	1770 55%	11 69%	1170 36%	1 6%	300 9%	0 0%	3 0%	0 0%	1 0%	0 0%	17 1%
APR-2016	0 0%	9 0%	1 7%	1747 54%	13 93%	1196 37%	0 0%	293 9%	0 0%	3 0%	0 0%	1 0%	0 0%	17 1%
MAY-2016	0 0%	8 0%	2 17%	1728 53%	10 83%	1219 38%	0 0%	282 9%	0 0%	2 0%	0 0%	1 0%	0 0%	16 0%
JUN-2016	0 0%	8 0%	3 20%	1709 53%	12 80%	1234 38%	0 0%	283 9%	0 0%	4 0%	0 0%	1 0%	0 0%	15 0%
JUL-2016	0 0%	7 0%	3 21%	1689 53%	11 79%	1242 39%	0 0%	273 8%	0 0%	3 0%	0 0%	1 0%	0 0%	13 0%
AUG-2016	0 0%	8 0%	3 10%	1663 52%	26 90%	1254 39%	0 0%	268 8%	0 0%	2 0%	0 0%	0 0%	0 0%	14 0%
SEP-2016	0 0%	8 0%	1 9%	1643 52%	9 82%	1269 40%	1 9%	262 8%	0 0%	3 0%	0 0%	1 0%	0 0%	14 0%
OCT-2016	0 0%	8 0%	2 18%	1615 51%	9 82%	1263 40%	0 0%	261 8%	0 0%	3 0%	0 0%	1 0%	0 0%	13 0%
NOV-2016	0 0%	9 0%	3 16%	1588 51%	15 79%	1282 41%	1 5%	258 8%	0 0%	3 0%	0 0%	1 0%	0 0%	13 0%
DEC-2016	0 0%	9 0%	3 17%	1588 50%	15 83%	1305 41%	0 0%	258 8%	0 0%	3 0%	0 0%	1 0%	0 0%	13 0%
JAN-2017	0 0%	9 0%	2 14%	1558 50%	12 86%	1312 42%	0 0%	247 8%	0 0%	3 0%	0 0%	1 0%	0 0%	12 0%
FEB-2017	0 0%	9 0%	3 19%	1518 49%	12 75%	1306 43%	1 6%	236 8%	0 0%	3 0%	0 0%	1 0%	0 0%	12 0%
MAR-2017	0 0%	8 0%	1 8%	1513 49%	11 92%	1329 43%	0 0%	232 8%	0 0%	2 0%	0 0%	1 0%	0 0%	12 0%
APR-2017	0 0%	8 0%	0 0%	1484 49%	5 71%	1318 43%	2 29%	231 8%	0 0%	2 0%	0 0%	1 0%	0 0%	11 0%
MAY-2017	0 0%	9 0%	0 0%	1462 48%	14 100%	1350 44%	0 0%	227 7%	0 0%	3 0%	0 0%	1 0%	0 0%	11 0%
JUN-2017	0 0%	9 0%	2 18%	1453 48%	9 82%	1360 45%	0 0%	221 7%	0 0%	3 0%	0 0%	1 0%	0 0%	11 0%
JUL-2017	0 0%	9 0%	0 0%	1439 47%	6 100%	1360 45%	0 0%	218 7%	0 0%	3 0%	0 0%	1 0%	0 0%	11 0%
AUG-2017	0 0%	9 0%	1 5%	1417 47%	21 95%	1395 46%	0 0%	216 7%	0 0%	2 0%	0 0%	1 0%	0 0%	11 0%
SEP-2017	0 0%	9 0%	0 0%	1389 46%	8 100%	1389 46%	0 0%	210 7%	0 0%	2 0%	0 0%	1 0%	0 0%	11 0%
OCT-2017	0 0%	8 0%	0 0%	1365 46%	6 100%	1396 47%	0 0%	208 7%	0 0%	3 0%	0 0%	1 0%	0 0%	11 0%
NOV-2017	0 0%	8 0%	1 8%	1326 45%	10 83%	1389 47%	1 8%	206 7%	0 0%	3 0%	0 0%	1 0%	0 0%	10 0%

Definitions:

Initial is defined as number of patients whose first ARV treatment with the BC-CfE DTP contains INGREDIENT;

% is calculated as ratio of "Initial" and number of patients whose first treatment is of given CLASS

All is defined as number of patients on ARV treatment which contains INGREDIENT;

% is calculated as ratio of "All" and number of patients whose treatment is of given CLASS

Ritonavir - greater than 400 mg total daily dose





2.7 Number of Participants on Protease Inhibitor by INGREDIENT (continued)

	tipranavir			
	Initial		All	
JAN-2016	0	0%	1	0%
FEB-2016	0	0%	1	0%
MAR-2016	0	0%	1	0%
APR-2016	0	0%	1	0%
MAY-2016	0	0%	1	0%
JUN-2016	0	0%	1	0%
JUL-2016	0	0%	1	0%
AUG-2016	0	0%	0	0%
SEP-2016	0	0%	1	0%
OCT-2016	0	0%	1	0%
NOV-2016	0	0%	1	0%
DEC-2016	0	0%	1	0%
JAN-2017	0	0%	1	0%
FEB-2017	0	0%	1	0%
MAR-2017	0	0%	1	0%
APR-2017	0	0%	1	0%
MAY-2017	0	0%	1	0%
JUN-2017	0	0%	1	0%
JUL-2017	0	0%	1	0%
AUG-2017	0	0%	1	0%
SEP-2017	0	0%	1	0%
OCT-2017	0	0%	1	0%
NOV-2017	0	0%	1	0%

Definitions:

Initial is defined as number of patients whose first ARV treatment with the BC-CfE DTP contains INGREDIENT;

% is calculated as ratio of "Initial" and number of patients whose first treatment is of given CLASS

All is defined as number of patients on ARV treatment which contains INGREDIENT;

% is calculated as ratio of "All" and number of patients whose treatment is of given CLASS

Ritonavir - greater than 400 mg total daily dose





2.8 Number of Participants on Non-Nucleosides by INGREDIENT

	efavirenz		etravirine		nevirapine		rilpivirine	
	Initial	All	Initial	All	Initial	All	Initial	All
JAN-2016	2 100%	1032 42%	0 0%	302 12%	0 0%	855 35%	0 0%	256 10%
FEB-2016	3 60%	1008 41%	0 0%	306 13%	1 20%	857 35%	1 20%	259 11%
MAR-2016	2 50%	996 41%	0 0%	307 13%	1 25%	854 35%	1 25%	257 11%
APR-2016	3 33%	990 41%	1 11%	308 13%	3 33%	845 35%	2 22%	260 11%
MAY-2016	5 63%	986 41%	0 0%	303 13%	0 0%	834 35%	3 38%	260 11%
JUN-2016	4 67%	979 41%	0 0%	298 13%	0 0%	839 35%	2 33%	260 11%
JUL-2016	1 25%	969 41%	1 25%	299 13%	2 50%	836 35%	0 0%	257 11%
AUG-2016	5 71%	960 41%	0 0%	295 13%	0 0%	830 35%	2 29%	262 11%
SEP-2016	2 50%	949 41%	0 0%	295 13%	0 0%	819 35%	2 50%	265 11%
OCT-2016	1 20%	944 41%	2 40%	300 13%	1 20%	814 35%	1 20%	269 12%
NOV-2016	7 88%	936 41%	1 13%	294 13%	0 0%	812 35%	0 0%	269 12%
DEC-2016	7 70%	927 40%	0 0%	290 13%	0 0%	805 35%	3 30%	273 12%
JAN-2017	4 80%	928 41%	0 0%	292 13%	1 20%	799 35%	0 0%	269 12%
FEB-2017	4 80%	907 40%	0 0%	280 12%	0 0%	791 35%	1 20%	266 12%
MAR-2017	1 50%	897 40%	0 0%	279 13%	0 0%	790 35%	1 50%	265 12%
APR-2017	4 44%	888 40%	0 0%	273 12%	1 11%	787 36%	4 44%	271 12%
MAY-2017	3 75%	877 40%	0 0%	274 12%	0 0%	783 35%	1 25%	279 13%
JUN-2017	3 100%	853 39%	0 0%	270 12%	0 0%	782 36%	0 0%	288 13%
JUL-2017	2 100%	838 39%	0 0%	264 12%	0 0%	780 36%	0 0%	283 13%
AUG-2017	1 100%	821 38%	0 0%	268 12%	0 0%	777 36%	0 0%	285 13%
SEP-2017	4 50%	809 38%	0 0%	264 12%	1 13%	774 36%	3 38%	296 14%
OCT-2017	2 100%	803 38%	0 0%	267 13%	0 0%	768 36%	0 0%	299 14%
NOV-2017	4 67%	799 37%	0 0%	269 13%	0 0%	766 36%	2 33%	300 14%

Definitions:

Initial is defined as number of patients whose first ARV treatment with the BC-CfE DTP contains INGREDIENT;

% is calculated as ratio of "Initial" and number of patients whose first treatment is of given CLASS

All is defined as number of patients on ARV treatment which contains INGREDIENT;

% is calculated as ratio of "All" and number of patients whose treatment is of given CLASS





2.9 Number of Participants on Entry/Integrase Inhibitors by INGREDIENT

	dolutegravir		elvitegravir		maraviroc		raltegravir		enfuvirtide	
	Initial	All	Initial	All	Initial	All	Initial	All	Initial	All
JAN-2016	6 55%	1020 44%	4 36%	458 20%	0 0%	66 3%	1 9%	821 35%	0 0%	1 0%
FEB-2016	7 64%	1062 45%	4 36%	468 20%	0 0%	60 3%	0 0%	813 34%	0 0%	1 0%
MAR-2016	15 79%	1115 46%	2 11%	482 20%	0 0%	60 2%	2 11%	806 33%	0 0%	1 0%
APR-2016	12 67%	1153 47%	4 22%	491 20%	0 0%	60 2%	2 11%	799 32%	0 0%	1 0%
MAY-2016	13 76%	1182 47%	4 24%	493 20%	0 0%	60 2%	0 0%	798 32%	0 0%	1 0%
JUN-2016	16 62%	1216 48%	9 35%	506 20%	0 0%	58 2%	1 4%	788 31%	0 0%	1 0%
JUL-2016	14 70%	1251 49%	5 25%	517 20%	0 0%	57 2%	1 5%	784 30%	0 0%	1 0%
AUG-2016	20 59%	1304 49%	14 41%	533 20%	0 0%	55 2%	0 0%	774 29%	0 0%	1 0%
SEP-2016	19 63%	1363 50%	10 33%	545 20%	0 0%	53 2%	1 3%	781 29%	0 0%	1 0%
OCT-2016	15 94%	1412 51%	1 6%	561 20%	0 0%	53 2%	0 0%	777 28%	0 0%	1 0%
NOV-2016	18 72%	1452 52%	5 20%	580 21%	0 0%	53 2%	2 8%	756 27%	0 0%	1 0%
DEC-2016	9 75%	1479 52%	2 17%	587 21%	0 0%	53 2%	1 8%	762 27%	0 0%	1 0%
JAN-2017	13 81%	1518 53%	3 19%	587 20%	0 0%	52 2%	0 0%	756 26%	0 0%	1 0%
FEB-2017	14 78%	1560 54%	4 22%	588 20%	0 0%	48 2%	0 0%	732 25%	0 0%	1 0%
MAR-2017	13 87%	1620 55%	2 13%	601 20%	0 0%	49 2%	0 0%	732 25%	0 0%	1 0%
APR-2017	14 78%	1655 55%	4 22%	596 20%	0 0%	50 2%	0 0%	722 24%	0 0%	1 0%
MAY-2017	19 86%	1726 57%	3 14%	602 20%	0 0%	47 2%	0 0%	715 23%	0 0%	1 0%
JUN-2017	12 75%	1758 57%	3 19%	596 19%	0 0%	49 2%	1 6%	713 23%	0 0%	1 0%
JUL-2017	8 73%	1792 58%	3 27%	593 19%	0 0%	48 2%	0 0%	705 23%	0 0%	1 0%
AUG-2017	13 72%	1824 58%	4 22%	597 19%	0 0%	49 2%	1 6%	707 22%	0 0%	1 0%
SEP-2017	10 71%	1836 58%	4 29%	600 19%	0 0%	50 2%	0 0%	700 22%	0 0%	1 0%
OCT-2017	9 90%	1884 59%	1 10%	609 19%	0 0%	48 1%	0 0%	707 22%	0 0%	0 0%
NOV-2017	15 68%	1939 60%	5 23%	612 19%	0 0%	49 2%	2 9%	699 21%	0 0%	0 0%

Definitions:

Initial is defined as number of patients whose first ARV treatment with the BC-CfE DTP contains INGREDIENT;

% is calculated as ratio of "Initial" and number of patients whose first treatment is of given CLASS

All is defined as number of patients on ARV treatment which contains INGREDIENT;

% is calculated as ratio of "All" and number of patients whose treatment is of given CLASS





2.10 Distribution of Participants in HIV/AIDS Drug Treatment Program by Regimen Class

MON-YYYY	Boosted PI + 2 NRTIs		NNRTI + 2 NRTIs		Integrase + 2 NRTIs		Un-boosted PI + 2 NRTIs		MDRT		Other	
	n	%	n	%	n	%	n	%	n	%	n	%
JAN-2016	2285	32.78	1944	27.89	1609	23.08	158	2.27	61	0.88	913	13.10
FEB-2016	2279	32.61	1925	27.54	1668	23.87	153	2.19	59	0.84	905	12.95
MAR-2016	2266	32.39	1903	27.21	1706	24.39	154	2.20	61	0.87	905	12.94
APR-2016	2244	31.99	1894	27.00	1757	25.05	154	2.20	57	0.81	908	12.95
MAY-2016	2256	32.03	1887	26.79	1781	25.29	157	2.23	54	0.77	908	12.89
JUN-2016	2255	31.93	1877	26.58	1811	25.64	152	2.15	56	0.79	911	12.90
JUL-2016	2225	31.55	1865	26.45	1847	26.19	150	2.13	57	0.81	908	12.88
AUG-2016	2210	31.27	1839	26.02	1912	27.05	142	2.01	56	0.79	909	12.86
SEP-2016	2190	30.81	1831	25.76	1976	27.80	144	2.03	57	0.80	909	12.79
OCT-2016	2169	30.39	1829	25.62	2033	28.48	146	2.05	57	0.80	904	12.66
NOV-2016	2174	30.33	1817	25.35	2074	28.93	143	1.99	59	0.82	902	12.58
DEC-2016	2181	30.33	1808	25.14	2102	29.23	143	1.99	58	0.81	900	12.51
JAN-2017	2155	30.01	1793	24.97	2135	29.73	139	1.94	63	0.88	897	12.49
FEB-2017	2125	29.79	1772	24.84	2165	30.35	133	1.86	55	0.77	884	12.39
MAR-2017	2133	29.68	1754	24.41	2223	30.94	134	1.86	58	0.81	884	12.30
APR-2017	2109	29.38	1744	24.30	2260	31.49	133	1.85	59	0.82	873	12.16
MAY-2017	2108	29.18	1737	24.04	2308	31.95	132	1.83	59	0.82	880	12.18
JUN-2017	2115	29.19	1719	23.72	2349	32.42	132	1.82	59	0.81	872	12.03
JUL-2017	2102	29.02	1695	23.40	2387	32.95	130	1.79	62	0.86	868	11.98
AUG-2017	2094	28.82	1687	23.21	2409	33.15	130	1.79	61	0.84	886	12.19
SEP-2017	2075	28.71	1677	23.20	2429	33.61	127	1.76	57	0.79	862	11.93
OCT-2017	2052	28.30	1675	23.10	2480	34.20	124	1.71	57	0.79	864	11.91
NOV-2017	2004	27.69	1666	23.02	2519	34.80	119	1.64	56	0.77	874	12.08

Definitions:

n is number of participants on the specified regimen class in the specified month
 % is ratio of n and total number of participants on ART in the specified month





2.11 Baseline CD4 for Antiretroviral First Starts

MON-YYYY	# of First Starts	# of Pts with CD4 < 100	# of Pts with CD4: 100-199	# of Pts with CD4: 200-349	# of Pts with CD4: 350-500	# of Pts with CD4 > 500	Median CD4
JAN-2016	16	2	3	0	5	3	380
FEB-2016	18	4	0	6	3	5	331
MAR-2016	23	4	3	4	7	5	350
APR-2016	20	2	1	2	2	9	580
MAY-2016	21	2	1	3	3	12	510
JUN-2016	34	5	5	6	10	8	380
JUL-2016	25	2	6	6	3	7	320
AUG-2016	39	2	6	6	12	13	410
SEP-2016	27	8	2	6	4	4	253
OCT-2016	22	2	2	6	6	5	370
NOV-2016	27	3	4	5	7	8	390
DEC-2016	25	4	1	5	3	11	410
JAN-2017	22	3	2	4	6	6	380
FEB-2017	24	5	3	1	3	10	425
MAR-2017	19	5	3	5	2	2	220
APR-2017	20	1	2	6	5	5	350
MAY-2017	22	2	0	3	9	8	405
JUN-2017	24	6	2	5	3	7	230
JUL-2017	14	2	2	2	1	5	340
AUG-2017	25	4	0	4	3	12	510
SEP-2017	17	1	2	4	3	5	400
OCT-2017	7	2	0	0	1	3	545
NOV-2017	22	2	2	7	3	8	385

Definitions:

First Starts defined as starting ARV treatment in the specified month for the first time (ARV naive)

Baseline CD4 is defined as most recent CD4 test before ARV start





2.12 DTP Participants with PVL Measurement within previous five years, and never on ART

MON-YYYY	# of Participants with PVL test	# of Participants with PVL test, and never on ART
JAN-2016	11048	3052
FEB-2016	11141	3133
MAR-2016	11201	3181
APR-2016	11248	3215
MAY-2016	11308	3264
JUN-2016	11364	3295
JUL-2016	11407	3330
AUG-2016	11452	3336
SEP-2016	11479	3340
OCT-2016	11510	3364
NOV-2016	11552	3385
DEC-2016	11582	3396
JAN-2017	11603	3417
FEB-2017	11630	3426
MAR-2017	11682	3476
APR-2017	11708	3491
MAY-2017	11750	3517
JUN-2017	11779	3533
JUL-2017	11812	3564
AUG-2017	11847	3590
SEP-2017	11875	3616
OCT-2017	11934	3669
NOV-2017	11955	3670

Definitions:

Patients with PVL test are defined as having at least one PVL test within previous five years, and not reported deceased/moved
Never on ART are subset of patients with PVL test, and not being treated with ARVs on or before specified month







3.1 Distribution of HIV/AIDS Drug Treatment Program Active Participants
November 2017

N = 7238

BY HEALTH SERVICES DELIVERY AREA



BY HEALTH AUTHORITY







3.2 Distribution of HIV/AIDS Drug Treatment Program Active Participants

November 2017

INTERIOR HEALTH AUTHORITY BY HEALTH SERVICES DELIVERY AREA/LOCAL HEALTH AREA



KELOWNA BY POSTAL CODE







3.3 Distribution of HIV/AIDS Drug Treatment Program Active Participants

November 2017

FRASER HEALTH AUTHORITY BY HEALTH SERVICES DELIVERY AREA/LOCAL HEALTH AREA



SURREY BY POSTAL CODE







3.4 Distribution of HIV/AIDS Drug Treatment Program Active Participants

November 2017

VANCOUVER COASTAL HEALTH AUTHORITY BY HEALTH SERVICES DELIVERY AREA/LOCAL HEALTH AREA



VANCOUVER BY POSTAL CODE







3.5 Distribution of HIV/AIDS Drug Treatment Program Active Participants

November 2017

VANCOUVER ISLAND HEALTH AUTHORITY BY HEALTH SERVICES DELIVERY AREA/LOCAL HEALTH AREA



VICTORIA BY POSTAL CODE







3.6 Distribution of HIV/AIDS Drug Treatment Program Active Participants

November 2017

NORTHERN HEALTH AUTHORITY BY HEALTH SERVICES DELIVERY AREA/LOCAL HEALTH AREA



PRINCE GEORGE BY POSTAL CODE





**4.1 Distribution of Participants in BC-CfE Registries by Age and Gender
INTERIOR Health Authority**

HSDA	Age Group	Alive	Ever treated with ARVs	Currently treated with ARVs
EAST KOOTENAY	20-34	*	*	*
	35-49	*	*	*
	50+	*	*	*
	Total HSDA:	35	48	26
KOOTENAY BOUNDARY	0-19	*	*	*
	20-34	*	*	*
	35-49	*	*	*
	50+	*	*	*
Total HSDA:	71	93	54	
OKANAGAN	0-19	*	*	*
	20-34	*	*	*
	35-49	*	*	*
	50+	*	*	*
Total HSDA:	351	467	267	
THOMPSON/CARIBOO/ SHUSWAP	0-19	*	*	0
	20-34	*	*	17
	35-49	*	*	45
	50+	*	*	76
Total HSDA:	179	238	138	
Total HA:		636	846	485

	Age Group	Alive	Ever treated with ARVs	Currently treated with ARVs
	0-19	*	*	*
	20-34	*	*	*
	35-49	*	*	*
	50+	*	*	*
Total HA:		636	846	485

Gender	Alive	Ever treated with ARVs	Currently treated with ARVs
Male	495	670	382
Female	141	176	103

Currently treated with ARVs	# of patients	Med Age	Med CD4	Med PVL
Total HA:	485	54	600	35

* Patients numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month

Med CD4 and PVL tests defined as most recent tests (as of specified month)





4.2 Distribution of Participants in BC-CfE Registries by Treatment Duration INTERIOR Health Authority

HSDA	Treatment Duration	Alive	Currently treated with ARVs
EAST KOOTENAY	10 years or more	19	12
	5 years or more	5	5
	<5 years	11	9
	Total HSDA:	35	26
KOOTENAY BOUNDARY	10 years or more	38	26
	5 years or more	21	17
	<5 years	12	11
	Total HSDA:	71	54
OKANAGAN	10 years or more	201	143
	5 years or more	74	62
	<5 years	76	62
	Total HSDA:	351	267
THOMPSON/CARIBOO/ SHUSWAP	10 years or more	88	59
	5 years or more	41	39
	<5 years	50	40
	Total HSDA:	179	138
Total HA:		636	485

	Treatment Duration	Alive	Currently treated with ARVs
	10 years or more	346	240
	5 years or more	141	123
	<5 years	149	122
Total HA:		636	485

* Patients numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month

Treatment Duration defined as number of years since ARV initiation





4.3 Distribution of ARV Prescribing Physicians in BC-CfE Registries INTERIOR Health Authority

HSDA of Physician Residency	# of Physicians ever prescribed ARVs	# of Patients ever treated by Physicians	# of Physicians currently prescribing ARVs	# of Patients currently treated by Physicians
EAST KOOTENAY	38	54	13	22
KOOTENAY BOUNDARY	63	114	21	40
OKANAGAN	204	758	66	276
THOMPSON/CARIBOO/SHUSWAP	127	457	36	123
Total:	432	1383	136	461

HSDA of Patient Residency	# of Patients seeking Physician's care out of HA
EAST KOOTENAY	*
KOOTENAY BOUNDARY	*
OKANAGAN	*
THOMPSON/CARIBOO/SHUSWAP	*
Total:	96

* Patients numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently prescribing/treated defined as prescribing/being treated in the previous 6 months

of Patients seeking Physician out of HA is defined as patients residing in specified HSDA, but their follow-up physician(s) reside in another HA





4.4 Distribution of Participants in BC-CfE Registries by Age and Gender FRASER Health Authority

HSDA	Age Group	Alive	Ever treated with ARVs	Currently treated with ARVs
FRASER EAST	0-19	6	6	5
	20-34	26	27	17
	35-49	103	115	66
	50+	197	265	158
	Total HSDA:	332	413	246
FRASER NORTH	0-19	13	13	*
	20-34	113	114	*
	35-49	349	390	*
	50+	503	796	*
	Total HSDA:	978	1313	770
FRASER SOUTH	0-19	9	9	*
	20-34	93	95	*
	35-49	363	415	*
	50+	472	694	*
	Total HSDA:	937	1213	756
Total HA:		2247	2939	1772

	Age Group	Alive	Ever treated with ARVs	Currently treated with ARVs
	0-19	28	28	12
	20-34	232	236	174
	35-49	815	920	629
	50+	1172	1755	957
Total HA:		2247	2939	1772

Gender	Alive	Ever treated with ARVs	Currently treated with ARVs
Male	1709	2264	1375
Female	538	675	397

Currently treated with ARVs	# of patients	Med Age	Med CD4	Med PVL
Total HA:	1772	51	610	35

* Patients numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month

Med CD4 and PVL tests defined as most recent tests (as of specified month)





**4.5 Distribution of Participants in BC-CfE Registries by Treatment Duration
FRASER Health Authority**

HSDA	Treatment Duration	Alive	Currently treated with ARVs
FRASER EAST	10 years or more	170	121
	5 years or more	95	78
	<5 years	67	47
	Total HSDA:	332	246
FRASER NORTH	10 years or more	481	351
	5 years or more	257	205
	<5 years	240	214
	Total HSDA:	978	770
FRASER SOUTH	10 years or more	458	364
	5 years or more	245	192
	<5 years	234	200
	Total HSDA:	937	756
Total HA:		2247	1772

	Treatment Duration	Alive	Currently treated with ARVs
	10 years or more	1109	836
	5 years or more	597	475
	<5 years	541	461
Total HA:		2247	1772

* Patients numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month

Treatment Duration defined as number of years since ARV initiation





4.6 Distribution of ARV Prescribing Physicians in BC-CfE Registries FRASER Health Authority

HSDA of Physician Residency	# of Physicians ever prescribed ARVs	# of Patients ever treated by Physicians	# of Physicians currently prescribing ARVs	# of Patients currently treated by Physicians
FRASER EAST	132	452	39	93
FRASER NORTH	238	1500	56	259
FRASER SOUTH	206	1245	44	341
Total:	576	3197	139	693

HSDA of Patient Residency	# of Patients seeking Physician's care out of HA
FRASER EAST	182
FRASER NORTH	650
FRASER SOUTH	518
Total:	1350

* Patients numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently prescribing/treated defined as prescribing/being treated in the previous 6 months

of Patients seeking Physician out of HA is defined as patients residing in specified HSDA, but their follow-up physician(s) reside in another HA





**4.7 Distribution of Participants in BC-CfE Registries by Age and Gender
VANCOUVER COASTAL Health Authority**

HSDA	Age Group	Alive	Ever treated with ARVs	Currently treated with ARVs
NORTH SHORE/ COAST GARIBALDI	0-19	*	*	0
	20-34	*	*	24
	35-49	*	*	69
	50+	*	*	188
	Total HSDA:		324	465
RICHMOND	0-19	*	*	*
	20-34	*	*	*
	35-49	*	*	*
	50+	*	*	*
	Total HSDA:		162	208
VANCOUVER	0-19	44	47	5
	20-34	441	452	330
	35-49	1491	1693	1088
	50+	2632	4423	2029
	Total HSDA:	4608	6615	3452
Total HA:		5094	7288	3861

	Age Group	Alive	Ever treated with ARVs	Currently treated with ARVs
	0-19	48	51	6
	20-34	492	504	372
	35-49	1618	1836	1189
	50+	2936	4897	2294
Total HA:		5094	7288	3861

Gender	Alive	Ever treated with ARVs	Currently treated with ARVs
	2	2	0
Male	4481	6404	3413
Female	611	882	448

Currently treated with ARVs	# of patients	Med Age	Med CD4	Med PVL
Total HA:	3861	52	620	35

* Patients numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month

Med CD4 and PVL tests defined as most recent tests (as of specified month)





**4.8 Distribution of Participants in BC-CfE Registries by Treatment Duration
VANCOUVER COASTAL Health Authority**

HSDA	Treatment Duration	Alive	Currently treated with ARVs
NORTH SHORE/ COAST GARIBALDI	10 years or more	169	138
	5 years or more	80	71
	<5 years	75	72
	Total HSDA:	324	281
RICHMOND	10 years or more	81	60
	5 years or more	41	32
	<5 years	40	36
	Total HSDA:	162	128
VANCOUVER	10 years or more	2483	1788
	5 years or more	1219	916
	<5 years	906	748
	Never on ART	0	0
	Total HSDA:	4608	3452
Total HA:	5094	3861	

	Treatment Duration	Alive	Currently treated with ARVs
	10 years or more	2733	1986
	5 years or more	1340	1019
	<5 years	1021	856
	Never on ART	0	0
Total HA:		5094	3861

* Patients numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month

Treatment Duration defined as number of years since ARV initiation





**4.9 Distribution of ARV Prescribing Physicians in BC-CfE Registries
VANCOUVER COASTAL Health Authority**

HSDA of Physician Residency	# of Physicians ever prescribed ARVs	# of Patients ever treated by Physicians	# of Physicians currently prescribing ARVs	# of Patients currently treated by Physicians
NORTH SHORE/COAST GARIBALDI	153	393	55	102
RICHMOND	42	275	14	95
VANCOUVER	558	10357	203	5383
Total:	753	11025	272	5580

HSDA of Patient Residency	# of Patients seeking Physician's care out of HA
NORTH SHORE/COAST GARIBALDI	*
RICHMOND	*
VANCOUVER	*
Total:	119

* Patients numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently prescribing/treated defined as prescribing/being treated in the previous 6 months

of Patients seeking Physician out of HA is defined as patients residing in specified HSDA, but their follow-up physician(s) reside in another HA





**4.10 Distribution of Participants in BC-CfE Registries by Age and Gender
VANCOUVER ISLAND Health Authority**

HSDA	Age Group	Alive	Ever treated with ARVs	Currently treated with ARVs
CENTRAL VANCOUVER ISLAND	0-19	*	*	*
	20-34	*	*	*
	35-49	*	*	*
	50+	*	*	*
	Total HSDA:		301	421
NORTH VANCOUVER ISLAND	0-19	*	*	0
	20-34	*	*	8
	35-49	*	*	25
	50+	*	*	60
	Total HSDA:		117	154
SOUTH VANCOUVER ISLAND	0-19	*	*	*
	20-34	*	*	*
	35-49	*	*	*
	50+	*	*	*
	Total HSDA:		699	978
Total HA:		1117	1553	880

	Age Group	Alive	Ever treated with ARVs	Currently treated with ARVs
	0-19	9	9	*
	20-34	97	103	*
	35-49	318	364	*
	50+	693	1077	*
Total HA:		1117	1553	880

Gender	Alive	Ever treated with ARVs	Currently treated with ARVs
Male	911	1268	721
Female	206	285	159

Currently treated with ARVs	# of patients	Med Age	Med CD4	Med PVL
Total HA:	880	53	520	35

* Patients numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month

Med CD4 and PVL tests defined as most recent tests (as of specified month)





4.11 Distribution of Participants in BC-CfE Registries by Treatment Duration VANCOUVER ISLAND Health Authority

HSDA	Treatment Duration	Alive	Currently treated with ARVs
CENTRAL VANCOUVER ISLAND	10 years or more	144	118
	5 years or more	71	58
	<5 years	86	71
	Total HSDA:	301	247
NORTH VANCOUVER ISLAND	10 years or more	61	51
	5 years or more	27	21
	<5 years	29	21
	Total HSDA:	117	93
SOUTH VANCOUVER ISLAND	10 years or more	371	269
	5 years or more	162	131
	<5 years	166	140
	Total HSDA:	699	540
Total HA:		1117	880

Treatment Duration	Alive	Currently treated with ARVs
10 years or more	576	438
5 years or more	260	210
<5 years	281	232
Total HA:	1117	880

* Patients numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month

Treatment Duration defined as number of years since ARV initiation





**4.12 Distribution of ARV Prescribing Physicians in BC-CfE Registries
VANCOUVER ISLAND Health Authority**

HSDA of Physician Residency	# of Physicians ever prescribed ARVs	# of Patients ever treated by Physicians	# of Physicians currently prescribing ARVs	# of Patients currently treated by Physicians
CENTRAL VANCOUVER ISLAND	180	812	79	218
NORTH VANCOUVER ISLAND	126	254	46	77
SOUTH VANCOUVER ISLAND	194	1647	43	545
Total:	500	2713	168	840

HSDA of Patient Residency	# of Patients seeking Physician's care out of HA
CENTRAL VANCOUVER ISLAND	43
NORTH VANCOUVER ISLAND	32
SOUTH VANCOUVER ISLAND	111
Total:	186

* Patients numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently prescribing/treated defined as prescribing/being treated in the previous 6 months

of Patients seeking Physician out of HA is defined as patients residing in specified HSDA, but their follow-up physician(s) reside in another HA





**4.13 Distribution of Participants in BC-CfE Registries by Age and Gender
NORTHERN Health Authority**

HSDA	Age Group	Alive	Ever treated with ARVs	Currently treated with ARVs
NORTH EAST	0-19	*	*	*
	20-34	*	*	*
	35-49	*	*	*
	50+	*	*	*
	Total HSDA:		39	47
NORTH WEST	0-19	*	*	0
	20-34	*	*	5
	35-49	*	*	20
	50+	*	*	27
	Total HSDA:		70	105
NORTHERN INTERIOR	0-19	7	7	*
	20-34	23	26	*
	35-49	74	91	*
	50+	85	136	*
	Total HSDA:		189	260
Total HA:		298	412	208

	Age Group	Alive	Ever treated with ARVs	Currently treated with ARVs
	0-19	10	10	*
	20-34	35	39	*
	35-49	113	148	*
	50+	140	215	*
Total HA:		298	412	208

Gender	Alive	Ever treated with ARVs	Currently treated with ARVs
Male	181	255	133
Female	117	157	75

Currently treated with ARVs	# of patients	Med Age	Med CD4	Med PVL
Total HA:	208	49	540	35

* Patients numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month

Med CD4 and PVL tests defined as most recent tests (as of specified month)





**4.14 Distribution of Participants in BC-CfE Registries by Treatment Duration
NORTHERN Health Authority**

HSDA	Treatment Duration	Alive	Currently treated with ARVs
NORTH EAST	10 years or more	17	8
	5 years or more	13	7
	<5 years	9	7
	Total HSDA:	39	22
NORTH WEST	10 years or more	24	12
	5 years or more	31	28
	<5 years	15	12
	Total HSDA:	70	52
NORTHERN INTERIOR	10 years or more	63	37
	5 years or more	67	51
	<5 years	59	46
	Total HSDA:	189	134
Total HA:		298	208

Treatment Duration	Alive	Currently treated with ARVs
10 years or more	104	57
5 years or more	111	86
<5 years	83	65
Total HA:	298	208

* Patients numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month

Treatment Duration defined as number of years since ARV initiation





**4.15 Distribution of ARV Prescribing Physicians in BC-CfE Registries
NORTHERN Health Authority**

HSDA of Physician Residency	# of Physicians ever prescribed ARVs	# of Patients ever treated by Physicians	# of Physicians currently prescribing ARVs	# of Patients currently treated by Physicians
NORTH EAST	35	60	8	10
NORTH WEST	67	150	18	29
NORTHERN INTERIOR	104	420	16	181
Total:	206	630	42	220

HSDA of Patient Residency	# of Patients seeking Physician's care out of HA
NORTH EAST	6
NORTH WEST	13
NORTHERN INTERIOR	21
Total:	40

* Patients numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently prescribing/treated defined as prescribing/being treated in the previous 6 months

of Patients seeking Physician out of HA is defined as patients residing in specified HSDA, but their follow-up physician(s) reside in another HA





4.16 Distribution of Aboriginal Participants in BC-CfE Registries by Health Service Delivery Area and Gender

HA	HSDA	Alive	Ever treated with ARVs	Currently treated with ARVs
INTERIOR	EAST KOOTENAY	*	10	*
	KOOTENAY BOUNDARY	*	7	*
	OKANAGAN	*	33	*
	THOMPSON/CARIBOO/SHUSWAP	*	40	*
	Total HA:	51	90	38
FRASER	FRASER EAST	31	40	20
	FRASER NORTH	51	84	42
	FRASER SOUTH	75	105	58
	Total HA:	157	229	120
VANCOUVER COASTAL	NORTH SHORE/COAST GARIBALDI	26	47	23
	RICHMOND	10	15	9
	VANCOUVER	506	825	411
	Total HA:	542	887	443
VANCOUVER ISLAND	CENTRAL VANCOUVER ISLAND	50	76	42
	NORTH VANCOUVER ISLAND	16	25	13
	SOUTH VANCOUVER ISLAND	34	74	27
	Total HA:	100	175	82
NORTHERN	NORTH EAST	8	10	5
	NORTH WEST	33	59	28
	NORTHERN INTERIOR	69	102	57
	Total HA:	110	171	90
Total:		960	1552	773

Gender	Alive	Ever treated with ARVs	Currently treated with ARVs
Male	594	990	473
Female	366	562	300

Currently treated with ARVs	# of patients	Med Age	Med CD4	Med PVL
Total:	773	50	480	35

* Patients numbers > 0 and < 5 are suppressed for privacy purposes.

Definitions:

Currently treated with ARVs defined as being on ARV therapy in the specified month

Med CD4 and PVL tests defined as most recent tests (as of specified month)





5.1 Drug Names and Definitions

Abacavir (Ziagen, ABC): a NUCLEOSIDE ANALOG from ViiV Healthcare.

Active: persons in the HIV/AIDS Drug Treatment program that are prescribed one or more drugs in this current month

Amphotericin B (Fungilin): a drug used for treatment of candidiasis and other fungal infections.

Amprenavir (Agenerase, APV): a PROTEASE INHIBITOR from ViiV Healthcare. No longer marketed in Canada.

Antiretroviral (ARV): a substance that stops or suppresses the activity of a retrovirus, such as HIV. NUCLEOSIDE ANALOGS and PROTEASE INHIBITORS are examples of antiretroviral drugs.

Atazanavir (Reyataz, ATV): a PROTEASE INHIBITOR from Bristol-Myers Squibb.

Atovaquone (Mepron): a medication used to treat pneumocystis carinii pneumonia and, in some cases, toxoplasmosis.

Atripla (ATP): the Bristol-Myers Squibb and Gilead trade name for a tablet containing EFAVIRENZ, TENOFOVIR DF and EMTRICITABINE.

Azithromycin (Zithromax): an antibiotic used for the prevention of mycobacterium avium complex (MAC) in people with advanced HIV infection.

Boosted PI: a PI and a small (400 mg or less, total daily dose) additional dose or RITONAVIR. The addition of RITONAVIR inhibits metabolism of other PIs and improves their exposure. This may allow for decreased dosing frequency or pill burden and may improve adherence and antiretroviral activity.

CD4 Cell Count: the most commonly used marker for assessing the state of the immune system. As CD4 cell count declines, the risk of developing opportunistic infections increases. Normal CD4 cell counts are greater than 800 per cubic millimeter of blood.

Chemokine Receptor Inhibitor: a type of ENTRY INHIBITOR designed to prevent HIV entry by blocking the binding site of co-receptors, such as CCR5 or CXCR4.

Clarithromycin (Biaxin): an antibiotic used for the treatment of mycobacterium avium complex (MAC). It is also used for preventing MAC in those with advanced HIV infection.

Cobicstat: a pharmacokinetic enhancer (“booster”) given with other antiretrovirals to improve drug exposure. Cobicstat has no anti-HIV activity. It is currently available as a component of STRIBILD, GENVOYA and PREZCOBIX.

Combination Therapy: initial combination therapy for HIV contains at least three ANTIRETROVIRALS.

Combivir (CBV): the ViiV Healthcare trade name for a tablet containing both ZIDOVUDINE and LAMIVUDINE.

Complera (CPL): the Gilead trade name for a tablet containing EMTRICITABINE, RILPIVIRINE and TENOFOVIR DF.

Darunavir (Prezista, DRV): a PROTEASE INHIBITOR from Janssen that has activity against HIV in treatment-experienced patients.

Deceased: persons enrolled in the HIV/AIDS Drug Treatment program that died in this time period.

Delavirdine (Rescriptor, DLV): a NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITOR (NNRTI) from ViiV Healthcare.





Descovy (DSC): the Gilead trade name for a tablet containing EMTRICITABINE and TENOFOVIR AF.

Didanosine (Videx, DDI): a NUCLEOSIDE ANALOG from Bristol-Myers Squibb.

Dolutegravir (Tivicay, DTG): an INTEGRASE INHIBITOR from ViiV Healthcare.

Efavirenz (Sustiva, Auro efavirenz, EFV): a NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITOR (NNRTI) from Bristol-Myers Squibb.

Elvitegravir (EGV): an INTEGRASE INHIBITOR from Gilead Sciences. It is currently available as a component of STRIBILD.

Emtricitabine (FTC): a NUCLEOSIDE ANALOG from Gilead Sciences. It is currently available as a component of TRUVADA and other combinations.

Enfuvirtide (Fuzeon, T20): a FUSION INHIBITOR from Hoffman-La Roche that targets the gp41 protein on the surface of HIV. It is administered as a subcutaneous injection.

Entry Inhibitor: a drug that inhibits the entry of HIV into cells. Entry inhibitors include FUSION INHIBITORS, CHEMOKINE RECEPTOR INHIBITORS, and attachment inhibitors.

Etravirine (Intence, ETV): a NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITOR from Janssen that has activity against HIV in treatment-experienced patients.

Ethambutol (Myambutol): an antibiotic used in COMBINATION THERAPY for treatment of mycobacterial infections such as tuberculosis and mycobacterium avium complex (MAC).

First started program: a person prescribed their first regimen ever in the HIV/AIDS drug treatment program.

Fosamprenavir (Telzir, fAPV): a PROTEASE INHIBITOR from ViiV Healthcare. Fosamprenavir is a PRODRUG of AMPRENAVIR.

Fusion Inhibitor: a type of ENTRY INHIBITOR designed to prevent HIV from fusing with and thereby infecting CD4 cells.

Genvoya (GNV): the Gilead trade name for a tablet containing ELVITEGRAVIR, COBICSTAT, EMTRICITABINE and TENOFOVIR AF.

Granulocyte Colony Stimulating Factor (GCSF, Neupogen): a natural hormone that stimulates production of granulocytes, a type of white blood cell (leukocyte).

Health Authority: refers to the five (Interior, Fraser, Northern, Vancouver Coastal, Vancouver Island) health authorities created by the BC Ministry of Health.

Inactive: persons no longer dispensed drugs through the HIV/AIDS Drug Treatment program this current month.

Indinavir (Crixivan, IDV): a PROTEASE INHIBITOR from Merck.

Integrase Inhibitor: a drug that blocks integrase, a protein that HIV needs to enter cells and produce copies of itself, from working.

Kivexa (KIV): the ViiV Healthcare's trade name for a tablet containing both ABACAVIR and LAMIVUDINE.

Lamivudine (3TC): a NUCLEOSIDE ANALOG from ViiV Healthcare with activity against HIV and hepatitis B.

Lopinavir (Kaletra, LPV/r): a PROTEASE INHIBITOR from Abbott Laboratories. Kaletra is a combination of lopinavir and a low dose of RITONAVIR, a drug that improves blood levels of lopinavir.





Maraviroc (Celsentri, MVC): a CHEMOKINE RECEPTOR INHIBITOR from ViiV Healthcare that inhibits HIV entry by blocking the binding site of the CCR5 co-receptor.

Median (MED) age: median age of participants in the HIV/AIDS Drug Treatment program in that time period.

MDRT: see MULTIPLE DRUG RESCUE THERAPY

Moved out of BC: a person in the HIV/AIDS Drug Treatment program that is no longer in the program, because they moved out of BC in this time period.

Moxifloxacin: a fluoroquinolone antibiotic that is used for treatment of mycobacterium avium complex which is resistant to clarithromycin.

Multiple Drug Rescue Therapy (MDRT or Mega-HAART): the use of five or more antiretrovirals to treat HIV, typically some or all of which have been used previously by the individual.

Nelfinavir (Viracept, NFV): a PROTEASE INHIBITOR from ViiV Healthcare.

Net change: the net increase or decrease in persons enrolled in the HIV/AIDS Drug Treatment Program from the previous time period.

Nevirapine (Viramune, NVP): a NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITOR (NNRTI) from Boehringer Ingelheim.

NNRTI: see NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITOR.

NNRTI / no PI: a combination therapy regimen of four or fewer antiretroviral drugs, including an NNRTI, but no PIs.

Non-Nucleoside Reverse Transcriptase Inhibitor (NNRTI): a member of a class of compounds, including DELAVIRDINE, NEVIRAPINE, EFAVIRENZ and ETRAVIRINE that acts to directly combine with and block the action of HIV's reverse transcriptase enzyme.

NRTI: see NUCLEOSIDE ANALOG.

Nucleoside Analog (Nucleoside Analog Reverse Transcriptase Inhibitor, NRTI): a type of ANTIVIRAL drug whose structure constitutes a defective version of a natural nucleoside. Nucleoside analogs may take the place of the natural nucleosides, blocking the completion of a viral DNA chain during infection of a new cell by HIV. The HIV enzyme reverse transcriptase is more likely to incorporate nucleoside analogs into the DNA it is constructing than is the DNA polymerase that cells normally use for DNA construction.

Nucleotide Analog: ANTIVIRAL compounds that function exactly like NUCLEOSIDE ANALOGS but are pre-activated through the addition of a phosphate group during their synthesis. This phosphorylation is supposed to enhance the drug levels and activity achieved within cells.

Octreotide Acetate (Sandostatin): a drug used to treat chronic refractory diarrhea.

Odefsey (ODF): the Gilead trade name for a tablet containing RILPIVIRINE, EMTRICITABINE and TENOFOVIR AF.

One or more PI: a combination therapy regimen of four or fewer antiretroviral drugs, including one unboosted PI or 2 or more PIs with or without a small (400 mg or less, total daily dose) additional dose of RITONAVIR.

Other: an antiretroviral regimen in the HIV/AIDS Drug Treatment program other than NNRTI/no PI, boosted PI, 1 or more PIs or MDRT-based regimens (eg. Triple Nucleoside regimens).

Paromomycin (Humatin): an antibiotic used to treat infections caused by intestinal parasites, including AIDS-related cryptosporidiosis.





Pentamidine: an antiprotozoal drug used in aerosol form as a preventative against pneumocystis carinii pneumonia (PCP).

PI: see PROTEASE INHIBITOR.

Prezcobix (PZC): the Janssen trade name for a tablet containing DARUNAVIR and COBICISTAT.

Prodrug: a compound that is converted within the body into the active form that has medical effects.

Protease Inhibitor: a drug that binds to and blocks HIV protease from working, thus preventing the production of new functional viral particles.

Raltegravir (RGV, Isentress): an INTEGRASE INHIBITOR from Merck.

Restarted/ changed therapy (Tx): a person in the HIV/AIDS Drug Treatment program that was either CURRENTLY OFF THERAPY and now has been prescribed a new regimen or a person who has changed regimens.

Rifabutin (Mycobutin): an oral drug used to prevent mycobacterium avium complex (MAC) in people with advanced HIV infection. Rifabutin is also used in combination with other drugs for the treatment of active MAC infections.

Rilpivirine (Edurant, RPV): a NON-NUCELOSIDE REVERSE TRANSCRIPTASE INHIBITOR (NNRTI) from Janssen.

Ritonavir (Norvir, RTV): a PROTEASE INHIBITOR from Abbott. Ritonavir is commonly used to inhibit the liver enzyme metabolism of other protease inhibitors and improve their blood exposure (“booster”).

Saquinavir (Invirase, SQV): a PROTEASE INHIBITOR from Hoffman-La Roche.

Stavudine (Zerit, d4T): a NUCLEOSIDE ANALOG from Bristol-Myers Squibb.

Stopped all therapies (Tx): a person in the HIV/AIDS Drug Treatment program that stopped all therapies in this time period and is now CURRENTLY OFF THERAPY.

Stribild (STR): the Gilead trade name for a tablet containing ELVITEGRAVIR, COBICISTAT, EMTRICITABINE and TENOFOVIR DF.

Tenofovir alafenamide (Tenofovir AF, TAF): a NUCLEOTIDE ANALOG from Gilead Sciences with activity against HIV. It is currently available as a component of DESCOVY and GENVOYA.

Tenofovir disoproxil fumarate (Viread, Tenofovir DF, TDF): a NUCLEOTIDE ANALOG from Gilead Sciences with activity against HIV and hepatitis B.

Tipranavir (Aptivus, TPV): a PROTEASE INHIBITOR from Boehringer Ingelheim that has activity against HIV in treatment-experienced patients.

Triple Therapy: the use of three drugs, most often a PROTEASE INHIBITOR or NON-NUCLEOSIDE ANALOG with two NUCLEOSIDE ANALOGS, in the treatment of HIV.

Triumeq (TRQ): the ViiV Healthcare’s trade name for a tablet containing DOLUTEGRAVIR, ABACAVIR and LAMIVUDINE.

Trizivir (TRZ): the ViiV Healthcare’s trade name for a tablet containing ABACAVIR, ZIDOVUDINE and LAMIVUDINE.

Truvada (TRU): the Gilead trade name for a tablet containing TENOFOVIR DF and EMTRICITABINE.





Valganciclovir: an antiviral drug used to treat cytomegalovirus (CMV) retinitis.

Viral Load: the amount of HIV RNA per unit of blood plasma. An indicator of virus concentration and reproduction rate. HIV viral load is employed as a measure of the success of antiretroviral therapy.

Zidovudine (Retrovir, AZT): a NUCLEOSIDE ANALOG from ViiV Healthcare. AZT is also approved for preventing maternal-fetal HIV transmission.

